

CHAORYANG® TIRES

CHAORYANG®
TIRES

www.chaoyangtire.com
Global Edition 2019

 中策橡胶
zc rubber
www.chaoyangtire.com

ZHONGCE RUBBER GROUP COMPANY LIMITED
No.2, 10th Avenue, Hangzhou Economic & Technological
Development Area, Hangzhou
TEL: +86-571-86755960
E-mail: sales2wheels@zc-rubber.com
CHINA

ZHONGCE EUROPE GMBH
DE-SAINT-EXUPERY STR. 10
60549 FRANKFURT AM MAIN
GERMANY

ZC RUBBER BRAZIL PARTICIPACOES LTDA
MAESTRO GABRIEL MIGLIORI, 577 SL. 53/54
BAIRRO LIMAO SAO PAULO, 02712-140
BRAZIL

ZHONGCE RUBBER AMERICA INC.
663 BREA CANYON RD
SUITE 4, WALNUT, 91789 CA
USA



Chaoyang Europe



Chaoyang Brasil



Global Edition 2019



Headquarter of ZC Rubber

ZC-Rubber successfully joins the ranks of global top 10 tire manufacturers from 2012 to 2018. The annual revenue has reached \$4 billion. CHAOYANG is the earliest and most important brand in ZC-Rubber. As the leader of Chinese tire market, we also continuously get remarkable achievement in global market. Presenting high quality tires of bicycle, motorcycle, automobiles, light trucks, trucks, ATV, and trailers, we provide whole series of solutions demanded from customers worldwide.

Passion For Forward



CHAOYANG[®]
TIRES



TIRE TECHNOLOGY 06

PHANTOM NEW 14



ENDURO NEW 20



CROSS COUNTRY / MARATHON 27



ENDURO 38



ROAD TLR NEW 12

GRAVEL NEW 18



E-LINER 22



ALL MOUNTAIN 35



PLUS 44




FAT 47



CITY / URBAN 52



ROAD 60



BMX 68



SPIKES 70




ARAMID-BEAD (FOLDABLE) & PACKAGE 72

MARKETING MATERIAL 80

TUBE 73

NOTES 84




BASIC TIRE STRUCTURE



RHINO SKIN



CASING



TPI=Threads Per Inch(2.54cm)

- lower TPI casing is heavier, but it can give better cut, puncture, and abrasion resistance

- High TPI casing is lighter, and offering a smoother and comfortable ride feeling



ARAMID

Aramid-bead is a kind of composite strong and light weight fabric, used especially on folding tire. Aramid stays tightly to the rim, while offering easy installation and portability.




WIRE

In applications where ultimate strength is needed and transportation is not a factor, a copper-clad metal material circled in a particular way is utilized as bead wire. The bead is to keep the tire mounting the rim tightly while the tire is inflated.

TUBELESS READY



Tubeless provide the benefits of less chance of flatting since there is no tube, and lower rolling resistance when compared to a tube-type tire. The constructure with extra-strong foldable bead and reinforced rubber sidewalls is mainly used for Elite and performance lines.



TREAD PROTECTION

**5
Grade**

★★★★★

Protection Grade

The best solution for anti-punctures, it is double protection for the tire. An extremely closed meshed and dense fabric (Kevlar3) always used for flack jacket placed under the tread.

**5
Grade**

★★★★★

Protection Grade

A layer of **5mm thick**, special high elastic rubber, most effective protection breaker for bicycle tires, even a thumbtack won't harm it. Usually used in city/urban tires application.

**4
Grade**

★★★★★

Protection Grade

The upgrade edition of SHARK SKIN, using **40X40 Nylon Canvas** as breaker material, provide super puncture and tear resistance.

**3
Grade**

★★★★★

Protection Grade

Kevlar Floc as a composite of mixture rubber and Kevlar fiber, **1.5mm** layer between tread and casing, which improve the rigid of tire and puncture protection. It will be applied in range of city/urban tires.

**3
Grade**

★★★★★

Protection Grade

High density **Nylon breaker** will not only keep light weight, but also provide highly puncture protection from glass, debris and other materials with sharp edge.

Kevlar Breaker (K3): High strength of KEVLAR fabric brings with super anti-puncture performance, while minimizing the increment of weight.



DINO SKIN
KEVLAR-3
BREAKER



5mm RUBBER BREAKER
RHINO SKIN



40x40 NYLON BREAKER
SHARK SKIN+



1.5mm KEVLAR® FLOC BREAKER
HIPPO SKIN



NYLON BREAKER
SHARK SKIN

SIDEWALL PROTECTION

SPS(SHARK SKIN protection system on sidewall) present a great cut-resistant performance on sidewall against sharp rocks.



SPS
SHARK SKIN
PROTECTION SYSTEM
ON SIDEWALL

Choose **S+PS**(Shark skin+ Protection System on sidewall), will give you more confidence to ride, through the Rocky terrain, and treacherous trails where the risk of sidewall cuts and abrasions is high. Also very suited for tubeless ready tire conversion. It can save half quantity of sealing liquid, and keep the air pressure longer.



S+PS
SHARK SKIN +
PROTECTION SYSTEM
ON SIDEWALL

BEAD TO BEAD PROTECTION

Based on **SHARK SKIN+** technology, while offers protection from Bead to Bead. This additional all-round puncture protection layer make the casings extremely durable against different damage.



B to B
SHARK SKIN +
BEAD TO BEAD

The **Pro** edition of "B to B", keep the same extreme protection for carcass, meanwhile the special rubber inside the carcass layers provides strengthened sidewall to ensure stability during freeride and downhill.



B to B PRO
SHARK SKIN +
BEAD TO BEAD
BUTYL INSIDE

DOWNHILL PROTECTION

Extra butyl rubber offers extra safety and bead anti-puncture ability, to prevent pinch flats at low air pressure, also helps protect rim from hard hits and keep tire beads seat firmly with rim. Especially made for freeride and downhill use.



PRO BEAD
BUTYL INSERTED
REINFORCED BEAD

DUAL DEFENSE
DUAL PLY CASING
EXTRA DEFENSE

Dual Ply casing makes our DH/FR tires even tougher and stonger!

COMPOUNDS

MODEL	PROFILE	HARDNESS	PERFORMANCE
		<ul style="list-style-type: none"> SOFT MEDIUM SOFT BASE 	<ul style="list-style-type: none"> Stabilization base ensures easy riding. Center compound offers fast rolling. Soft shoulder makes grippy performance.
		<ul style="list-style-type: none"> SUPER SOFT MEDIUM SOFT BASE 	<ul style="list-style-type: none"> Perfect balance between 3C-XC and 3C-DH compound. Grippy than XC compound, while provides lower rolling resistance and better treadwear than 3C-DH compound.
		<ul style="list-style-type: none"> EXTREMELY SOFT SUPER SOFT BASE 	<ul style="list-style-type: none"> Stabilization base ensures precise traction. Low rebounding Super soft center and extremely soft shoulder offers ultimate grip and cornering.
		<ul style="list-style-type: none"> EXTREMELY SOFT BASE 	<ul style="list-style-type: none"> Extremely soft single 42a hardness compound for DOWNHILL using, super low rebound and high traction performance.
		<ul style="list-style-type: none"> MEDIUM 	<ul style="list-style-type: none"> Our special super light compound for XC, used in our lightest Merlin series, make you faster and faster, the Sky is no limit.
		<ul style="list-style-type: none"> MEDIUM SOFT SOFT 	<ul style="list-style-type: none"> Based on S85 Silica compound, for super fast XC racing, specially used in smooth tread pattern tire, ride in good road condition.
		<ul style="list-style-type: none"> SUPER SOFT MEDIUM SOFT 	<ul style="list-style-type: none"> Excellent traction and cornering grip for AM and FR tire.
		<ul style="list-style-type: none"> SOFT BASE 2C 	<ul style="list-style-type: none"> Our basic high performance dual compound for mountain tire.

COMPOUNDS

MODEL	PROFILE	HARDNESS	PERFORMANCE
		<ul style="list-style-type: none"> TREAD SHOULDER 	<ul style="list-style-type: none"> Professional racing compound with super grip and lowest rolling resistance performance.
		<ul style="list-style-type: none"> TREAD SHOULDER 	<ul style="list-style-type: none"> All condition road racing compound offers excellent grip and low rolling resistance, while provides exceptional tread wear.
		<ul style="list-style-type: none"> TREAD SHOULDER 	<ul style="list-style-type: none"> Our performance compound for all condition training use, with ideal durability and grip, usually comes with anti-puncture technology like Shark Skin or Hippo Skin. Extra mileage for extra fun!
		<ul style="list-style-type: none"> BASE 	<ul style="list-style-type: none"> Economical choice to have a taste of our magical Silica compound.
		<ul style="list-style-type: none"> TREAD COLOR SHOULDER 	<ul style="list-style-type: none"> Our high performance dual compound for colorful shoulder road tire.
		<ul style="list-style-type: none"> TREAD 	<ul style="list-style-type: none"> The E-bike compound is developed especially for E-bike use. It has a low rolling resistance and excellent high speed grip, keeps your safety in fast cornering. The 50km/h compound has even better grip and mileage.

TUBELESS READY
& **B TO B** PROTECTION

NEW CHOICE FOR BETTER PERFORMANCE

A new road tire choice for elite racers and riders who demand the ultimate in ride performance and feel. It features in terms of:

... **Silica compound**

... **Lightweight 120TPI casing**

... **NN60 anti-puncture layer**

... **Tubeless Ready technology**

FAST Whether mountain bike, road race, tubeless is always the right choice, it reduces 47% rolling resistance compare with conventional tire with a tube. Silica compound also gives support on grip, rolling-resistance and durability.

COMFORT 120Tpi casing ensures a lightweight tire ,low rolling resistance and high comfort.

PROTECTION NN60 and bead- to-bead protection layer support maximum puncture resistance and high pinch flat protection.

H-494TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Weight (g)	Bead
EB50205001F	700*25C	25-622	B To B/TLR	Silica	120	Black	280	Foldable



■ The PHANTOM series is designed for any conditions a Cross Country or Marathon racer can face. Four different patterns from a fast rolling semi slick tire to a mud tire with high knobs and lots of space in between for maximum traction and self clearance.

PHANTOM SPEED

29TH

■ If you are looking for the fastest option than take Phantom Speed. Its small low center knobs have an excellent rolling resistance combined with aggressive shoulder knobs, you don't have to be afraid of the next corner.



Phantom Speed H-5233/H-5233TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-
EB10801001F	29x2.2	56-622	TLR	Silica Control	120	Black	Foldable		
EB10801002F	29x2.2	56-622	TLR / SPS	Silica Control	120	Black	Foldable		E-bike25
EB10801003F	29x2.2	56-622	TLR	2C-MTB	60	Black	Foldable		
EB10801004F	29x2.2	56-622	TLR / SPS	2C-MTB	60	Black	Foldable		E-bike25
EB10801001W	29x2.2	55-622		single	60	Black	Wire		
EB10801002W	29x2.2	55-622		single	30	Black	Wire		

PHANTOM DRY

29" 27.5"

■ For your all-round dry conditions choose Phantom Dry. Its medium height tread provides great traction and control under braking. Tight knobs at the center to minimize rolling resistance, open space on the shoulder gives you safety and stability through the corner.



Phantom Dry H-5234/H-5234TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-
EB10802001F	29x2.2	56-622	TLR	Silica Control	120	Black	Foldable		
EB10802002F	29x2.2	56-622	SPS/TLR	Silica Control	120	Black	Foldable		E-bike25
EB10802005F	27.5x2.2	56-584	SPS/TLR	Silica Control	120	Black	Foldable		
EB10802003F	29x2.2	56-622	TLR	2C-MTB	60	Black	Foldable		
EB10802004F	29x2.2	56-622	SPS/TLR	2C-MTB	60	Black	Foldable		E-bike25
EB10802008F	29x2.2	56-622	TanWall/SPS/TLR	2C-MTB	60	Black/Tawny	Foldable		
EB10802006F	27.5x2.2	56-584	TLR	2C-MTB	60	Black	Foldable		
EB10802007F	27.5x2.2	56-584	SPS/TLR	2C-MTB	60	Black	Foldable		
EB10802009F	27.5x2.2	56-584	TanWall/SPS/TLR	2C-MTB	60	Black/Tawny	Foldable		
EB10802001W	29x2.2	56-622		single	60	Black	Wire		
EB10802005W	29x2.2	56-622	TanWall	single	60	Black/Tawny	Wire		
EB10802002W	29x2.2	56-622		single	30	Black	Wire		
EB10802003W	27.5x2.2	56-584		single	60	Black	Wire		
EB10802006W	27.5x2.2	56-584	TanWall	single	60	Black/Tawny	Wire		
EB10802004W	27.5x2.2	56-584		single	30	Black	Wire		

PHANTOM WET

29" 27.5"

■ When the weather becomes more unpredictable the Phantom wet is the tire of choice. Higher knobs with more space in between allow for confident cornering in wet and loose conditions. For your all-round the year care less combination put the Phantom wet on the front combined with the Phantom dry on the rear.



Phantom Wet H-5235/H-5235TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-
EB10803001F	29x2.2	55-622	TLR	Silica Control	120	Black	Foldable		
EB10803002F	29x2.2	55-622	SPS/TLR	Silica Control	120	Black	Foldable		E-bike25
EB10803005F	27.5x2.2	56-584	SPS/TLR	Silica Control	120	Black	Foldable		
EB10803003F	29x2.2	55-622	TLR	2C-MTB	60	Black	Foldable		
EB10803004F	29x2.2	55-622	SPS/TLR	2C-MTB	60	Black	Foldable		E-bike25
EB10803008F	29x2.2	55-622	TanWall/SPS/TLR	2C-MTB	60	Black/Tawny	Foldable		
EB10803006F	27.5x2.2	56-584	TLR	2C-MTB	60	Black	Foldable		
EB10803007F	27.5x2.2	56-584	SPS/TLR	2C-MTB	60	Black	Foldable		
EB10803001W	29x2.2	55-622		single	60	Black	Wire		
EB10803005W	29x2.2	55-622	TanWall/SPS/TLR	single	60	Black/Tawny	Wire		
EB10803002W	29x2.2	55-622		single	30	Black	Wire		
EB10803003W	27.5x2.2	56-584		single	60	Black	Wire		
EB10803004W	27.5x2.2	56-584		single	30	Black	Wire		

PHANTOM MUD

29"

■ Designed for muddy conditions without losing the focus on being rideable when you reach some hardpacked surface. When the conditions turn ugly choose the Phantom mud.



Phantom Mud H-5236/H-5236TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-
EB10804001F	29x2.0	50-622	TLR	Silica Control	120	Black	Foldable		
EB10804002F	29x2.0	50-622	TLR / SPS	Silica Control	120	Black	Foldable		E-bike25
EB10804003F	29x2.0	50-622	TLR	2C-MTB	60	Black	Foldable		
EB10804004F	29x2.0	50-622	TLR / SPS	2C-MTB	60	Black	Foldable		E-bike25
EB10804001W	29x2.0	50-622		single	60	Black	Wire		
EB10804002W	29x2.0	50-622		single	30	Black	Wire		





GRAVEL NEW



GRAVEL GP GRAVEL MT GRAVEL AT

GRAVEL GP

700C

GRAVEL GP H-5224/H-5224TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-
EB80105001F	700×35C	37-622	Shark Skin	2C-MTB	120	Black	Foldable		E-bike 25
EB80105002F	700×35C	37-622	Shark Skin	2C-MTB	60	Black	Foldable		
EB80105003F	700×35C	37-622	SPS	2C-MTB	60	Black	Foldable		
EB80105001W	700×35C	37-622	Shark Skin	Single	60	Black	Wire		
EB80105002W	700×35C	37-622	TanWall	single	60	Black/Tawny	Wire		
EB80105004F	700×38C	40-622	Shark Skin/TLR	2C-MTB	120	Black	Foldable		E-bike 25
EB80105005F	700×38C	40-622	Shark Skin/TLR	2C-MTB	60	Black	Foldable		
EB80105006F	700×38C	40-622	SPS/TLR	2C-MTB	60	Black	Foldable		
EB80105003W	700×38C	40-622	Shark Skin	Single	60	Black	Wire		
EB80105004W	700×38C	40-622	TanWall	single	60	Black/Tawny	Wire		
EB80105007F	700×40C	42-622	Shark Skin	2C-MTB	120	Black	Foldable		E-bike 25
EB80105008F	700×40C	42-622	Shark Skin	2C-MTB	60	Black	Foldable		
EB80105009F	700×40C	42-622	SPS	2C-MTB	60	Black	Foldable		
EB80105005W	700×40C	42-622	Shark Skin	Single	60	Black	Wire		
EB80105010F	700×45C	47-622	Shark Skin	2C-MTB	120	Black	Foldable		E-bike 25
EB80105011F	700×45C	47-622	Shark Skin	2C-MTB	60	Black	Foldable		
EB80105012F	700×45C	47-622	SPS	2C-MTB	60	Black	Foldable		
EB80105006W	700×45C	47-622	Shark Skin	Single	60	Black	Wire		



GRAVEL MT

700C



GRAVEL AT

700C

GRAVEL MT H-5129/H-5129TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-
EB80205002F	700×33C	33-622	SPS	2C-MTB	120	Black	Foldable		
EB80205004F	700×33C	33-622	Shark Skin	2C-MTB	60	Black	Foldable		
EB80205006F	700×33C	33-622	SPS	2C-MTB	60	Black	Foldable		
EB80205001W	700×33C	33-622	SPS	Single	60	Black	Wire		
EB80205007F	700×35C	37-622	SPS	2C-MTB	120	Black	Foldable		
EB80205008F	700×35C	37-622	Shark Skin	2C-MTB	60	Black	Foldable		
EB80205009F	700×35C	37-622	SPS	2C-MTB	60	Black	Foldable		
EB80205002W	700×35C	37-622	SPS	Single	60	Black	Wire		
EB80205010F	700×38C	40-622	SPS/TLR	2C-MTB	120	Black	Foldable		
EB80205011F	700×38C	40-622	Shark Skin/TLR	2C-MTB	60	Black	Foldable		
EB80205012F	700×38C	40-622	SPS/TLR	2C-MTB	60	Black	Foldable		
EB80205003W	700×38C	40-622	SPS	Single	60	Black	Wire		
EB80205004W	700×38C	40-622	TanWall	Single	60	Black/Tawny	Wire		

GRAVEL AT A-606/A-606TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-
EB80305001F	700×38C	40-622	SPS/TLR	2C-MTB	120	Black	Foldable		E-bike 25
EB80305002F	700×38C	40-622	SPS/TLR	2C-MTB	60	Black	Foldable		
EB80305003F	700×38C	40-622	Shark Skin/TLR	2C-MTB	60	Black	Foldable		
EB80305001W	700×38C	40-622	Shark Skin	Single	60	Black	Wire		



H-5240TR

27.5"

H-5240TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-
EB30102001F	27.5x2.4	61-584	Dual Defense/Pro Bead/TLR	3C-AM	120	Black	Foldable		
EB30102004F	27.5x2.4	61-584	B To B/TLR	3C-AM	120	Black	Foldable		
EB30102002F	27.5x2.4	61-584	B To B/TLR	3C-AM	60	Black	Foldable		
EB30102003F	27.5x2.4	61-584	S+PS/TLR	3C-AM	60	Black	Foldable		



H-5241TR

27.5"

H-5241TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-
EB30202001F	27.5x2.4	61-584	Dual Defense/Pro Bead/TLR	3C-AM	120	Black	Foldable		
EB30202004F	27.5x2.4	61-584	B To B/TLR	3C-AM	120	Black	Foldable		
EB30202002F	27.5x2.4	61-584	B To B/TLR	3C-AM	60	Black	Foldable		
EB30202003F	27.5x2.4	61-584	S+PS/TLR	3C-AM	60	Black	Foldable		



H-5242TR

27.5"

H-5242TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-
EB30302001F	27.5x2.4	61-584	Dual Defense/Pro Bead/TLR	3C-AM	120	Black	Foldable		
EB30302004F	27.5x2.4	61-584	B To B/TLR	3C-AM	120	Black	Foldable		
EB30302002F	27.5x2.4	61-584	B To B/TLR	3C-AM	60	Black	Foldable		
EB30302003F	27.5x2.4	61-584	S+PS/TLR	3C-AM	60	Black	Foldable		



The new E-Bike reference

E-LINER



A full specific E-Bike tire range for MTB, City, Trekking, Road, Foldable Bikes, all with ECE-R 75 certification, special E-Bike compound for long durability and a sidewall construction that gives enough stability in any kind of surface.

E-LINER



OFFROAD AT

■ The E-liner offroad AT is an allrounder that is built for light off-road use. Tight center knobs ensure a low rolling resistance, more comfort while riding on all kind of surfaces.

29" 27.5" 26"



OFFROAD MT

■ For all kind of wild tracks, the E-Liner offroad MT is the right choice. The aggressive knob design provides exceptional cornering grip and break performance when it's needed.

29" 27.5" 26"

E-liner offroad AT H-5135E

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-
W712002	29x2.25	57-622	B TO B	2C-MTB	60	Black	Foldable	990	E-bike 50
W713002	27.5x2.25	57-584	B TO B	2C-MTB	60	Black	Foldable	975	E-bike 50
W708002	26x2.25	57-559	B TO B	2C-MTB	60	Black	Foldable	935	E-bike 50

E-liner offroad MT H-5162E

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-
W712001	29x2.25	57-622	B TO B	2C-MTB	60	Black	Foldable	905	E-bike 50
W713001	27.5x2.25	57-584	B TO B	2C-MTB	60	Black	Foldable	870	E-bike 50
W708001	26x2.25	57-559	B TO B	2C-MTB	60	Black	Foldable	840	E-bike 50

E-MAXX

E-bike compound





URBAN

- Smooth tread center for low rolling resistance coordinated with variety size of grooves is good for wet traction also
- Lateral shoulder ramp knob provides effective reinforce traction on both wet and debris surface also excellent cornering stability



CITY

- Our ideal model for your daily commute. Speed limit up to 50km/h.
- Enjoy your riding with 5mm Rhino Skin puncture resistance layer.



TOUR

- Perfect one for long mile touring.
- Our 50km/h E-bike compound assures you outstanding mileage and very good grip.
- Rhino Skin protection makes your trip no worry!



ROAD

- The V-shape groove across the tread plus Silica Training compound provide a perfect grip and acceleration.
- Tiny grooves on the shoulder help improve cornering performance.
- 2X Shark Skin protection ensures a strong casing for safe and durable training.

28" 700C

700C

E-liner urban H-481E

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-
W710001	28x2.0	50-622	Rhino Skin/SPS	E-maxx	60	Black/Reflex	Wire	1075	E-bike 50
W711011	700x38C	40-622	Rhino Skin/SPS	E-maxx	60	Black/Reflex	Wire	810	E-bike 50
W711012	700x35C	37-622	Rhino Skin/SPS	E-maxx	60	Black/Reflex	Wire	780	E-bike 50
EB90105001W	700x38C	40-622	Rhino Skin/Gumwall	E-maxx	60	Black/Reflex	Wire		E-bike 50
EB90105002W	700x35C	37-622	Rhino Skin/Gumwall	E-maxx	60	Black/Reflex	Wire		E-bike 50

E-liner city H-480E

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-
W711003	700x45C	47-622	Rhino Skin/SPS	E-maxx	60	Black/Reflex	Wire	1055	E-bike 50
W711004	700x42C	44-622	Rhino Skin/SPS	E-maxx	60	Black/Reflex	Wire	925	E-bike 50
EB90405003W	700x38C	40-622	Rhino Skin/SPS	E-maxx	60	Black/Reflex	Wire	810	E-bike 50
EB90405001W	700x38C	40-622	Rhino Skin/Gumwall	E-maxx	60	Black/Reflex	Wire		E-bike 50
W711006	700x35C	37-622	Rhino Skin/SPS	E-maxx	60	Black/Reflex	Wire	780	E-bike 50
EB90405002W	700x35C	37-622	Rhino Skin/Gumwall	E-maxx	60	Black/Reflex	Wire		E-bike 50
W711005	700x32C	32-622	Rhino Skin/SPS	E-maxx	60	Black/Reflex	Wire	690	E-bike 50

700C

700C

E-liner tour H-5126E

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-
EB90505001W	700x40C	42-622	Rhino Skin/SPS	E-maxx	60	Black/Reflex	Wire	870	E-bike 50
EB90505002W	700x38C	40-622	Rhino Skin/SPS	E-maxx	60	Black/Reflex	Wire	785	E-bike 50
EB90505003W	700x35C	37-622	Rhino Skin/SPS	E-maxx	60	Black/Reflex	Wire	710	E-bike 50
EB90505004W	700x40C	42-622	Rhino Skin/Gumwall	E-maxx	60	Black/Reflex	Wire		E-bike 50
EB90505005W	700x38C	40-622	Rhino Skin/Gumwall	E-maxx	60	Black/Reflex	Wire		E-bike 50
EB90505006W	700x35C	37-622	Rhino Skin/Gumwall	E-maxx	60	Black/Reflex	Wire		E-bike 50

E-liner road A-902E

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-
W711001	700x32C	32-622	B to B + Dino Skin	Silica Training	60	Black	Foldable	390	E-bike 50
W711002	700x28C	28-622	B to B + Dino Skin	Silica Training	60	Black	Foldable	335	E-bike 50



PLUS AT

■ Benefited from its reinforced directional center knobs cooperated with inconsistent in-mid small lugs, you will be capable to master all challenges from sandy or tarmac tracks with its high grip and minimal rolling resistance.



PLUS GP

■ Smooth central tread pattern helps lower the rolling resistance and a quiet riding experience.
 ■ The water evacuation groove and diamond design on the shoulder provide a perfect grip on wet condition.

27.5"

27.5"

E-liner plus AT H-5161E

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-
W713003	27.5x2.8	71-584	SPS	3C-AM	60	Black	Foldable	910	E-bike 50

E-liner plus GP H-5232E

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-
W713003	27.5x2.8	71-584	2xShark Skin	Silica Training	60	Black	Foldable	795	E-bike 50

FOLDING

20" 18"



E-liner folding H-569

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)	E-
W705001	20x1.75	47-406	Hippo Skin	Single	60	Black	Wire	420	
W703001	16x1.75	47-305	Hippo Skin	Single	60	Black	Wire	320	





CROSS COUNTRY / MARATHON

MERLIN

- Superlight carcass construction specialized in XC riding.
- Shoulder blocks are enlarged to get better cornering grip, especially on dry surface.
- Dual compound provide lower rolling resistance and better durability.
- Reinforced ribs on the block bases make it stronger and ensure continuously kinetic transmission.
- Equipped with CHAOYANG exclusive Dino Skin (Kevlar) anti-puncture techniques, just throw away your anxiety for flat tires and keep riding!

29" 27.5" 26"



MERLIN H-5175/H-5175TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
E112001	29X1.95	44-622	Dino Skin	S.Lite	120	Black	Foldable	345
E113001	27.5X1.95	44-584	Dino Skin	S.Lite	120	Black	Foldable	320
E108004	26X1.95	44-559	Dino Skin	S.Lite	120	Black	Foldable	305
E112030	29X2.20	55-622	SPS/Tubeless Ready	S.Lite	60	Black	Foldable	725
E112025	29X2.20	55-622	SPS/Tubeless Ready	S.Lite	120	Black	Foldable	545
E112037	29X1.95	44-622	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	475
E113043	27.5X1.95	44-584	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	430

HORNET

- Only high speed rolling & stable cornering can be the king of Cyclocross race! Benefited from its reinforced directional center knobs cooperated with inconsistent in-mid small lugs, you will be capable to master all challenges from sandy or tarmac tracks with its high grip and minimal rolling resistance.



29" 27.5" 26"

HORNET H-5161/H-5161TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W112021	29X2.10	52-622	/	Single	30	Black	Wire	760
W112061	29X2.10	52-622	/	2C-MTB	60	Black	Wire	690
W112025	29X2.10	52-622	Shark Skin	2C-MTB	60	Black	Foldable	680
W112006	29X2.0	50-622	/	Single	30	Black	Wire	740
W112064	29X2.0	50-622	/	2C-MTB	60	Black	Wire	670
W112010	29X2.0	50-622	Shark Skin	2C-MTB	60	Black	Foldable	645
W113006	27.5X2.10	52-584	/	Single	30	Black	Wire	755
W113007	27.5X2.10	52-584	/	2C-MTB	60	Black	Wire	685
W113010	27.5X2.10	52-584	Shark Skin	2C-MTB	60	Black	Foldable	675
W113001	27.5X2.0	52-584	/	Single	30	Black	Wire	650
W113012	27.5X2.0	52-584	/	2C-MTB	60	Black	Wire	590
W113005	27.5X2.0	52-584	Shark Skin	2C-MTB	60	Black	Foldable	580
W108093	26X2.10	52-559	/	Single	30	Black	Wire	725
W108106	26X2.10	52-559	/	2C-MTB	60	Black	Wire	650
W108284	26X2.10	52-559	Shark Skin	2C-MTB	60	Black/Reflex	Wire	705
W108097	26X2.10	52-559	Shark Skin	2C-MTB	60	Black	Foldable	640
W108050	26X2.0	50-559	/	Single	30	Black	Wire	620
W108053	26X2.0	50-559	Shark Skin	2C-MTB	60	Black	Wire	585
W108054	26X2.0	50-559	Shark Skin	2C-MTB	60	Black	Foldable	535
W108033	26X1.95	47-559	/	Single	30	Black	Wire	605
W108108	26X1.95	47-559	/	2C-MTB	60	Black	Wire	540
W108037	26X1.95	47-559	Shark Skin	2C-MTB	60	Black	Foldable	520
E112033	29X2.10	52-622	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	860
E112040	29X2.10	52-622	SPS/Tubeless Ready	Silica Control	120	Black	Foldable	775
E113015	27.5x2.10	52-584	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	710
E113046	27.5X2.10	52-584	SPS/Tubeless Ready	Silica Control	120	Black	Foldable	685
E108012	26X2.10	52-559	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	670
E108044	26X2.10	52-559	SPS/Tubeless Ready	Silica Control	120	Black	Foldable	655

ZIPPERING

■ Centerline tread blocks are arranged intersectantly, the densely arranged arc-shaped small blocks, with inverted triangle notches, providing better grip ability and impact damping ability

■ Shoulder blocks are 1/3 sparser than centerline part, the combination of these blocks increases adaptability while decreasing the weight. It can be used in various terrains

■ All pattern blocks are arranged in V form, and will form big obtuse angles with ground when heading forward, so the tire will have extremely large traction force, especially in cornering condition



29" 27.5" 26"

ZIPPERING H-5166/H-5166TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W112090	29X2.20	55-622	/	Single	60	Black	Wire	740
W112041	29X2.0	50-622	/	Single	30	Black	Wire	740
W112029	29X2.0	50-622	/	2C-MTB	60	Black	Wire	670
W112045	29X2.0	50-622	Shark Skin	2C-MTB	60	Black	Foldable	645
W113041	27.5X2.0	50-584	/	Single	30	Black	Wire	665
W113042	27.5X2.0	50-584	/	2C-MTB	60	Black	Wire	600
W113045	27.5X2.0	50-584	Shark Skin	2C-MTB	60	Black	Foldable	590
W108180	26X2.10	52-559	/	Single	30	Black	Wire	650
W108181	26X2.10	52-559	/	2C-MTB	60	Black	Wire	575
W108184	26X2.10	52-559	Shark Skin	2C-MTB	60	Black	Foldable	555
W108185	26X1.95	47-559	/	Single	30	Black	Wire	585
W108186	26X1.95	47-559	/	2C-MTB	60	Black	Wire	520
W108189	26X1.95	47-559	Shark Skin	2C-MTB	60	Black	Foldable	500
E112032	29X2.20	55-622	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	780
E112014	29X2.20	55-622	SPS/Tubeless Ready	Silica Control	60	Black	Foldable	780
E112039	29X2.20	55-622	SPS/Tubeless Ready	Silica Control	120	Black	Foldable	700
E113037	27.5X2.0	50-584	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	645
E113012	27.5X2.0	50-584	SPS/Tubeless Ready	Silica Control	60	Black	Foldable	635
E108037	26X2.10	52-559	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	595
E108009	26X2.10	52-559	SPS/Tubeless Ready	Silica Control	60	Black	Foldable	640

FALCON

■ Center pattern block to bridge reinforcement, improve the tire rigidity, make drivers more indeed,

■ Shoulder pattern using ladder depth collocation, when high speed cornering, can body dynamic stability, and thus avoid sliding effect,

■ Whole area pattern piece order collocation weight loss, in addition to increase performance grounding more can reduce the tire weight. Mud at the bottom of the stripes match again decorative pattern, provide immediate and effective dredge (soil) effect, prevent dirt block pattern block effect.

■ Super lightweight tire body, 26X1.95, only 410 g, leading the market almost all of the same style tires, with smaller particles completely smooth decorative pattern design, will effectively reduce the resistance by 15%, dry performance more excellent.



29" 27.5" 26"

FALCON H-5185/H-5185TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W108221	29X1.95	44-622	/	Single	30	Black	Wire	735
W108222	29X1.95	44-622	/	2C-MTB	60	Black	Wire	665
W108259	29X1.95	44-622	Shark Skin	2C-MTB	60	Black	Foldable	650
W113062	27.5X1.95	44-584	/	Single	30	Black	Wire	565
W113064	27.5X1.95	44-584	/	2C-MTB	60	Black	Wire	500
W113089	27.5X1.95	44-584	Shark Skin	2C-MTB	60	Black	Foldable	475
W108224	26X1.95	47-559	/	Single	30	Black	Wire	535
W108225	26X1.95	47-559	/	2C-MTB	60	Black	Wire	475
W108226	26X1.95	47-559	Shark Skin	2C-MTB	60	Black	Foldable	455
E112046	29X2.10	54-622	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	755
E112047	29X2.10	54-622	SPS/Tubeless Ready	Silica Control	120	Black	Foldable	665
E112048	27.5X2.10	54-584	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	785
E112049	27.5X2.10	54-584	SPS/Tubeless Ready	Silica Control	120	Black	Foldable	690
E112050	26X2.0	50-559	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	640
E112051	26X2.0	50-559	SPS/Tubeless Ready	Silica Control	120	Black	Foldable	555



VICTORY

- The tight and numerous small block design ensure the fast accelerating and comfortable riding
- The connections between the block improve the rigid and anti-puncture performance
- The blocks on the shoulder for the cornering and grip assurance



29" 27.5" 26"

Victory H-5129/H-5129TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W112074	29X2.20	54-622	/	Single	30	Black	Wire	755
W112085	29X2.20	54-622	/	Single	60	Black	Wire	710
W112075	29X2.20	54-622	/	Single	60	Black	Foldable	625
W112016	29X2.10	52-622	/	Single	30	Black	Wire	750
W112017	29X2.10	52-622	/	2C-MTB	60	Black	Wire	670
W112020	29X2.10	52-622	Shark Skin	2C-MTB	60	Black	Foldable	660
W112036	29X2.0	50-622	/	Single	30	Black	Wire	720
W112022	29X2.0	50-622	/	2C-MTB	60	Black	Wire	650
W112040	29X2.0	50-622	Shark Skin	2C-MTB	60	Black	Foldable	635
W113066	27.5X2.20	54-584	/	Single	30	Black	Wire	710
W113067	27.5X2.20	54-584	/	2C-MTB	60	Black	Wire	645
W113069	27.5X2.20	54-584	Shark Skin	2C-MTB	60	Black	Wire	685
W113070	27.5X2.20	54-584	Shark Skin	2C-MTB	60	Black	Foldable	630
W113061	27.5X2.10	52-584	/	Single	30	Black	Wire	680
W113072	27.5X2.10	52-584	/	2C-MTB	60	Black	Wire	610
W113065	27.5X2.10	52-584	Shark Skin	2C-MTB	60	Black	Foldable	600
W113021	27.5X2.0	50-584	/	Single	30	Black	Wire	650
W113076	27.5X2.0	50-584	/	2C-MTB	60	Black	Wire	590
W113025	27.5X2.0	50-584	Shark Skin	2C-MTB	60	Black	Foldable	565
W113026	27.5X1.95	47-584	/	Single	30	Black	Wire	635
W113079	27.5X1.95	47-584	/	2C-MTB	60	Black	Wire	570
W113030	27.5X1.95	47-584	Shark Skin	2C-MTB	60	Black	Foldable	560
W113031	27.5X1.75	44-584	/	Single	30	Black	Wire	535
W113081	27.5X1.75	44-584	/	2C-MTB	60	Black	Wire	485
W113035	27.5X1.75	44-584	Shark Skin	2C-MTB	60	Black	Foldable	475
W108136	26X2.25	54-559	/	Single	30	Black	Wire	675
W108137	26X2.25	54-559	/	2C-MTB	60	Black	Wire	610
W108139	26X2.25	54-559	Shark Skin	2C-MTB	60	Black	Foldable	595
W108068	26X2.10	52-559	/	Single	30	Black	Wire	675
W108145	26X2.10	52-559	/	2C-MTB	60	Black	Wire	610
W108073	26X2.10	52-559	Shark Skin	2C-MTB	60	Black	Foldable	600
W108044	26X2.0	50-559	/	Single	30	Black	Wire	615
W108151	26X2.0	50-559	/	2C-MTB	60	Black	Wire	555
W108049	26X2.0	50-559	Shark Skin	2C-MTB	60	Black	Foldable	540
W108099	26X1.95	47-559	/	Single	30	Black	Wire	605
W108158	26X1.95	47-559	/	2C-MTB	60	Black	Wire	540
W108011	26X1.95	47-559	Shark Skin	2C-MTB	60	Black	Foldable	520
E112044	29X2.20	54-622	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	670
E112045	29X2.20	54-622	SPS/Tubeless Ready	Silica Control	120	Black	Foldable	670



VICTORY II

- As the update edition of our Victory model, we redesigned the pattern and made some improvements.
- The profile looks much rough with deeper knobs, thus offers perfect grip on loose over hard terrain and trail tracks.
- Enlarged central knobs help with continuous fast rolling.
- Aggressive side knobs have more grip while cornering and grab deeply into the dirt.

29" 27.5" 26"



VICTORY II H-5196TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
E112031	29X2.0	50-622	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	805
E112008	29X2.0	50-622	SPS/Tubeless Ready	Silica Control	60	Black	Foldable	805
E112064	29X2.0	50-622	SPS/Tubeless Ready	Silica Control	120	Black	Foldable	765
E113036	27.5X2.0	50-584	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	760
E113029	27.5X2.0	50-584	SPS/Tubeless Ready	Silica Control	60	Black	Foldable	760
E113050	27.5X2.0	50-584	SPS/Tubeless Ready	Silica Control	120	Black	Foldable	710
E108036	26X2.0	50-559	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	725
E108027	26X2.0	50-559	SPS/Tubeless Ready	Silica Control	60	Black	Foldable	725
E108045	26X2.0	50-559	SPS/Tubeless Ready	Silica Control	120	Black	Foldable	680

EVOLUTION

- Do not worry, your high-speed cornering and precisely response can be ensured by the brand new design of large block side knobs definitely
- The design from our engineer with the center tread not only for excellent braking, optimal steering ability and accelerating, but also minimized rolling resistance



29" 27.5" 26"



EVOLUTION H-5120

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W112001	29X2.0	50-622	/	Single	30	Black	Wire	720
W112002	29X2.0	50-622	/	2C-MTB	60	Black	Wire	650
W112005	29X2.0	50-622	Shark Skin	2C-MTB	60	Black	Foldable	635
W113071	27.5X2.10	52-584	/	Single	30	Black	Wire	695
W113083	27.5X2.10	52-584	/	2C-MTB	60	Black	Wire	630
W113075	27.5X2.10	52-584	Shark Skin	2C-MTB	60	Black	Foldable	620
W108061	26X2.10	52-559	/	Single	30	Black	Wire	675
TBA	26X2.10	52-559	/	Single	30	Color Stripe	Wire	735
W108066	26X2.10	52-559	Shark Skin	2C-MTB	60	Black	Foldable	585
TBA	26X2.10	52-559	Shark Skin	2C-MTB	60	Color Stripe	Foldable	600
W108001	26X1.95	47-559	/	Single	30	Black	Wire	605
TBA	26X1.95	47-559	/	Single	30	Color Stripe	Wire	605
W108006	26X1.95	47-559	Shark Skin	2C-MTB	60	Black	Foldable	525
TBA	26X1.95	47-559	Shark Skin	2C-MTB	60	Color Stripe	Foldable	525

ALL MOUNTAIN



HORNET

- Only high speed rolling & stable cornering can be the king of Cyclocross race! Benefited from its reinforced directional center knobs cooperated with inconsistent in-mid small lugs, you will be capable to master all challenges from sandy or tarmac tracks with its high grip and minimal rolling resistance.

29" 27.5" 26"



HORNET H-5161/H-5161TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W113046	27.5X2.20	54-584	/	Single	30	Black	Wire	765
W113002	27.5X2.20	54-584	/	2C-MTB	60	Black	Wire	690
W113050	27.5X2.20	54-584	Shark Skin	2C-MTB	60	Black	Foldable	660
W108148	26X2.25	54-559	/	Single	30	Black	Wire	675
W108098	26X2.25	54-559	/	2C-MTB	60	Black	Wire	610
W108152	26X2.25	54-559	Shark Skin	2C-MTB	60	Black	Foldable	600
E112038	29X2.20	54-622	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	865
E112054	29X2.20	54-622	SPS/Tubeless Ready	Silica Control	120	Black	Foldable	770
E113047	27.5X2.20	54-584	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	805
E113048	27.5X2.20	54-584	SPS/Tubeless Ready	Silica Control	120	Black	Foldable	705

FAST LANE

- Even aggressive profile than Victory III!
- Central knobs are connected together to lower the rolling resistance and keep stable traction.
- High tread and shoulder knobs can grab the trail firmly, providing ideal cornering and preventing side slipping on loose surface.



29" 27.5" 26"

FAST LANE H-5197/H-5197TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
E112057	29X2.25	54-622	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	900
E112060	29X2.25	54-622	B to B/Tubeless Ready	2C-MTB	60	Black	Foldable	980
E112061	29X2.25	54-622	SPS/Tubeless Ready	Silica Control	120	Black	Foldable	825
E113039	27.5X2.10	52-584	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	845
E113049	27.5X2.10	52-584	SPS/Tubeless Ready	3C-XC	120	Black	Foldable	805
E108038	26X2.10	54-559	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	810
E108031	26X2.10	54-559	B to B/Tubeless Ready	3C-XC	60	Black	Foldable	875



COUGAR

- Center ramped knobs for low rolling resistance Uniformed design provide fast accelerating Siping knobs boost traction in all conditions
- Tight small knobs on shoulder offering stability on cornering



29" 26"

COUGAR H-5134/H-5134TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W112086	29X2.35	60-622	/	Single	30	Black	Wire	1020
W112056	29X2.25	54-622	/	Single	30	Black	Wire	895
W112057	29X2.25	54-622	/	2C-MTB	60	Black	Wire	780
W112060	29X2.25	54-622	Shark Skin	2C-MTB	60	Black	Foldable	765
W108140	26X2.25	54-559	/	Single	30	Black	Wire	690
W108149	26X2.25	54-559	/	2C-MTB	60	Black	Wire	625
W108143	26X2.25	54-559	Shark Skin	2C-MTB	60	Black	Foldable	610
W108081	26X2.10	52-559	/	Single	30	Black	Wire	640
W108082	26X2.10	52-559	/	2C-MTB	60	Black	Wire	610
W108085	26X2.10	52-559	Shark Skin	2C-MTB	60	Black	Foldable	595
E112056	29X2.35	60-622	SPS/Tubeless Ready	Silica Control	120	Black	Foldable	875





ENDURO



DOUBLE
HAMMER
TR



ROCK WOLF
TR



GLADIATOR

SHIMANO
DYANG
TUBES



DOUBLE HAMMER

- Large tapered bidirectional blocks in the middle provide superb supports when facing fierce impact of uphill and downhill, you can hold any bad road condition with it
- Directional shoulder blocks ensure good drainage performance. Shallow Sipes increase grip on wet land and riding comfort

29" 27.5" 26"

DOUBLE HAMMER H-5177/H-5177TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W112078	29X2.25	54-622	/	Single	30	Black	Wire	845
W112079	29X2.25	54-622	/	2C-MTB	60	Black	Wire	770
W112080	29X2.25	54-622	Shark Skin	2C-MTB	60	Black	Foldable	760
W113036	27.5X2.25	54-584	/	Single	30	Black	Wire	690
W113084	27.5X2.25	54-584	/	2C-MTB	60	Black	Wire	615
W113040	27.5X2.25	54-584	Shark Skin	2C-MTB	60	Black	Foldable	605
W108208	26X2.25	54-559	/	Single	30	Black	Wire	665
W108110	26X2.25	54-559	/	2C-MTB	60	Black	Wire	590
W108212	26X2.25	54-559	Shark Skin	2C-MTB	60	Black	Foldable	575
W112081	29X2.25	54-622	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	905
E113040	27.5X2.25	54-584	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	670
E113019	27.5X2.25	54-584	B to B/Tubeless Ready	3C-AM	60	Black	Foldable	750
E108039	26X2.25	54-559	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	640
E108016	26X2.25	54-559	B to B/Tubeless Ready	3C-AM	60	Black	Foldable	710



ROCK WOLF

- Large and far between knobs design gives the Rock Wolf mud-clearing ability.
- The regularly ramped square blocks for low rolling resistance, works together with the grippy shoulder makes the square profile and ideal weapon for trail and free ride use.

29" 27.5" 26"

ROCK WOLF H-5198/H-5198TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W112077	29X2.35	58-622	S+PS	2C-MTB	60	Black	Wire	910
W113132	27.5X2.35	60-584	S+PS	2C-MTB	60	Black	Wire	940
W108279	26X2.35	58-559	S+PS	2C-MTB	60	Black	Wire	840
E112036	29X2.35	58-622	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	850
E112029	29X2.35	58-622	S+PS/Tubeless Ready	3C-AM	60	Black	Foldable	885
E112052	29X2.35	58-622	SPS/Tubeless Ready	2C-MTB	120	Black	Foldable	855
W113130	27.5X2.80	70-584	B to B/Tubeless Ready	3C-AM	60	Black	Foldable	1050
W113127	27.5X2.80	70-584	S+PS/Tubeless Ready	3C-AM	120	Black	Foldable	975
W113129	27.5X2.60	66-584	B to B/Tubeless Ready	3C-AM	60	Black	Foldable	1030
W113126	27.5X2.60	66-584	S+PS/Tubeless Ready	3C-AM	120	Black	Foldable	950
E113041	27.5X2.35	60-584	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	815
E113009	27.5X2.35	60-584	S+PS/Tubeless Ready	3C-AM	60	Black	Foldable	870
E113044	27.5X2.35	60-584	SPS/Tubeless Ready	2C-MTB	120	Black	Foldable	835
E108040	26X2.35	58-559	SPS/Tubeless Ready	2C-MTB	60	Black	Foldable	735
E108033	26X2.35	58-559	S+PS/Tubeless Ready	3C-AM	60	Black	Foldable	775



GLADIATOR

- Downhill version of the Gladiator, with higher knobs and more square profile.
- Sipes are made on central and shoulder knobs, providing much more grip performance.
- Works perfectly with our 3C-DH compound.
- Excellence choice for aggressive riding style and rough terrain.

29" 27.5" 26"



GLADIATOR H-5136

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W112051	29X2.35	60-622	/	Single	30	Black	Wire	985
W112052	29X2.35	60-622	/	2C-MTB	60	Black	Wire	905
W112055	29X2.35	60-622	Shark Skin	2C-MTB	60	Black	Foldable	885
W112046	29X2.25	54-622	/	Single	30	Black	Wire	895
W112059	29X2.25	54-622	/	2C-MTB	60	Black	Wire	815
W112050	29X2.25	54-622	Shark Skin	2C-MTB	60	Black	Foldable	800
W113011	27.5X2.10	52-584	/	Single	30	Black	Wire	780
W113017	27.5X2.10	52-584	/	2C-MTB	60	Black	Wire	710
W113015	27.5X2.10	52-584	Shark Skin	2C-MTB	60	Black	Foldable	700
W108245	26X2.40	60-559	/	Single	30	Black	Wire	945
E108017	26X2.35	58-559	S+PS	2C-AM	60	Black	Wire	885
E108018	26X2.35	58-559	B to B Pro	3C-AM	60	Black	Foldable	1000
W108144	26X2.25	54-559	/	Single	30	Black	Wire	815
W108190	26X2.25	54-559	/	2C-MTB	60	Black	Wire	785
W108147	26X2.25	54-559	Shark Skin	2C-MTB	60	Black	Foldable	775
W108121	26X2.10	52-559	/	Single	30	Black	Wire	680



GLADIATOR DH

- Downhill version of the Gladiator, with higher knobs and more square profile.
- Sipes are made on central and shoulder knobs, providing much more grip performance.
- Works perfectly with our 3C-DH compound.
- Excellence choice for aggressive riding style and rough terrain.



27.5" 26"

GLADIATOR DH		H-5136DH						
Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W113039	27.5X2.35	60-584	/	2C-MTB	60	Black	Wire	1040
W113117	27.5X2.35	60-584	Dual Defense	2C-MTB	60	Black	Wire	1295
E113005	27.5X2.35	60-584	Dual Defense / Pro Bead	3C-DH	60	Black	Wire	1355
E113034	27.5X2.35	60-584	Dual Defense / Pro Bead/Tubeless Ready	3C-DH	60	Black	Foldable	1375
E113035	27.5X2.35	60-584	Dual Defense / Pro Bead/Tubeless Ready	DH-Slug	60	Black	Foldable	1375
E108034	26X2.35	60-559	Dual Defense / Pro Bead/Tubeless Ready	3C-DH	60	Black	Foldable	1280
E108035	26X2.35	60-559	Dual Defense / Pro Bead/Tubeless Ready	DH-Slug	60	Black	Foldable	1280

MUD SHREDDER

- Right as its name shows, it's a mud shredder machine. Perfect tire for the muddiest terrain.
- Benefit from its high and open knobs, Mud Shredder is able to plug into the dirt and gives you full confidence with control.



27.5" 26"

MUD SHREDDER		H-5203DH						
Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
E113042	27.5X2.35	60-584	Dual Defense	2C-MTB	60	Black	Wire	1295
E113006	27.5X2.35	60-584	Dual Defense/Pro Bead	DH-Slug	60	Black	Wire	1355
E108042	26X2.35	60-559	Dual Defense	2C-MTB	60	Black	Wire	1205
E108006	26X2.35	60-559	Dual Defense/Pro Bead	DH-Slug	60	Black	Wire	1305


DOWN HILL



GLADIATOR
DH

MUD
SHREDDER
DH

PLUS / FAT



Freewheeler Racing / Grand Rapids, USA

ROCK WOLF

- Large and far between knobs design gives the Rock Wolf mud-clearing ability.
- The regularly ramped square blocks for low rolling resistance, works together with the grippy shoulder makes the square profile and ideal weapon for trail and free ride use.

27.5"

ROCK WOLF H-5198TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W113131	27.5X3.0	72-584	B to B	3C-AM	60	Black	Foldable	1120
W113128	27.5X3.0	72-584	S+PS/Tubeless Ready	3C-AM	120	Black	Foldable	1055



SAND STORM

- Wide tread design, brings a wide tire visual impact;
- Symmetrical arrangement of argyle block, riding superior stability, smooth drainage;
- The blocks on the shoulder for the cornering and grip assurance

26" 24"

SAND STORM H-5193

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W108264	26X3.0	76-559	/	Single	30	Black	Wire	1090
W108266	26X2.50	60-559	/	Single	30	Black	Wire	935
W107005	24X2.50	60-507	/	Single	30	Black	Wire	845



GRAND CANYON

- Only high speed rolling & stable cornering can be the king of Cyclocross race! Benefited from its reinforced directional center knobs cooperated with inconsistent in-mid small lugs, you will be capable to master all challenges from sandy or tarmac tracks with its high grip and minimal rolling resistance.

27.5"

GRAND CANYON H-5161

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W113097	27.5X2.8	71-584	/	Single	30	Black	Wire	915
W113098	27.5X2.8	71-584	/	2C-MTB	60	Black	Wire	750
W113100	27.5X2.8	71-584	/	2C-MTB	60	Black	Foldable	700



PLUS



ROCK WOLF TR SAND STORM GRAND CANYON BIG DADDY

FAT



YETI CROSS SAND STORM GRAND CANYON SNOW STORM FAT MOMMA STARMON BIG DADDY

BIG DADDY

- Aggressive pattern design combines bionics with cartoon, equipped with super wide carcass, unprecedented overbearing character
- Star pattern in the middle and large inclined angle provides superb supporting force and smooth direction
- 45° arranged star pattern on the shoulder effectively avoid horizontal slip trend, make cornering more stable
- Horizontal blocks ensure an excellent braking force, avoiding slip in sand, grass or snow

29" 27.5"



BIG DADDY H-5176

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W112071	29X3.0	76-622	/	Single	30	Black	Wire	985
W112062	29X3.0	76-622	/	2C-MTB	60	Black	Wire	885
W113092	27.5X3.0	74-584	/	Single	30	Black	Wire	925
W113091	27.5X3.0	74-584	/	2C-MTB	60	Black	Wire	825
W113106	27.5X2.80	71-584	/	Single	30	Black	Wire	930
W113107	27.5X2.80	71-584	/	2C-MTB	60	Black	Wire	845



Sherly Wang, China

FAT



YETI CROSS

- Biggest bicycle tire we ever made! Enjoy the snow.
- Widely spread large knobs help the tire dig into the soft ground surface.
- Two lines of spikes on the knobs offers more grip.

26"

YETI CROSS H-5206

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W108260	26X5.50	140-559	/	Single	30	Black	Wire	1790
W108263	26X5.50	140-559	/	2C-MTB	60	Black	Wire	1790
W108270	26X5.50	140-559	Shark Skin/Spikes	2C-MTB	60	Black	Wire	1770

SAND STORM

- Wide tread design, brings a wide tire visual impact;
- Symmetrical arrangement of argyle block, riding superior stability, smooth drainage;
- The blocks on the shoulder for the cornering and grip assurance



26"

SAND STORM H-5193

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W105008	26X4.0	100-559	/	Single	30	Black	Wire	1710
W108227	26X4.0	100-559	/	2C-MTB	60	Black	Wire	1350
W105007	26X4.0	100-559	/	2C-MTB	120	Black	Foldable	1110
W105006	20X4.0	100-406	/	Single	30	Black	Wire	1250



SNOW STORM

- Three rows of longitudinal pattern block in tread, direction V design of large dip Angle. Not only can increase the strength of the decorative pattern block, and at the same time easy to cut into the snow and so on soft terrain, and significantly reducing the rolling resistance of riding.
- The triangle arrangement nail, provides tires with strong stability and traction. fast cornering the snow, make you confident.
- 152 spikes.



FAT MOMMA

- Continuous straight grain design tire crown center, center to tire shoulder pattern depth from shallow to deep. The tire weight reduced, and become low, light ride comfort;
- Tires on both sides of the small granular symmetric pattern block, reinforcement, connected to each other at the bottom of the decorative pattern can ensure the strength of the decorative pattern block, at the same time provide a powerful grip and braking effect;
- The pattern piece of uniform distribution of pipeline between the diamond bump, also can have very good dredge effect.

GRAND CANYON

- Benefited from its reinforced directionalcenter knobs cooperated with inconsistent in-mid small lugs, you will be capable to master all challenges from sandy or tarmac tracks with its high grip and minimal rolling resistance.



26"

GRAND CANYON H-5161

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W108201	26X4.0	100-559	/	Single	30	Black	Wire	1810
W108204	26X4.0	100-559	/	2C-MTB	60	Black	Wire	1670
W108209	26X4.0	100-559	/	2C-MTB	120	Black	Foldable	1410

26"

SNOW STORM H-5202

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W108239	26X4.9	120-559	/	Single	30	Black	Wire	1895
W108240	26X4.9	120-559	/	2C-MTB	60	Black	Wire	1700
W108241	26X4.9	120-559	Shark Skin/Spikes	2C-MTB	60	Black	Wire	1780
W108242	26X4.9	120-559	/	2C-MTB	120	Black	Foldable	1455
W108243	26X4.9	120-559	Shark Skin/Spikes	2C-MTB	120	Black	Foldable	1460
W108230	26X4.0	100-559	/	Single	30	Black	Wire	1655
W108231	26X4.0	100-559	/	2C-MTB	60	Black	Wire	1360
W108232	26X4.0	100-559	Shark Skin/Spikes	2C-MTB	60	Black	Wire	1495
W108233	26X4.0	100-559	/	2C-MTB	120	Black	Foldable	1135
W108234	26X4.0	100-559	Shark Skin/Spikes	2C-MTB	120	Black	Foldable	1260

26"

FAT MOMMA H-5186

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W108236	26X4.0	100-559	/	Single	30	Black	Wire	1410
W108237	26X4.0	100-559	/	2C-MTB	60	Black	Wire	1245
W108238	26X4.0	100-559	/	2C-MTB	120	Black	Foldable	1070



STARMON

- Spindle-like long blocks lower the rolling resistance when riding with low PSI
- The grooves in the center of large blocks increase traction force in sand, wet surface and rough road, while ensuring block strength
- Block stagger arranged in the shoulder to provide excellent cornering grip, making the cornering more stable



BIG DADDY

- Aggressive pattern design combines bionics with cartoon, equipped with super wide carcass, unprecedented overbearing character
- Star pattern in the middle and large inclined angle provides superb supporting force and smooth direction
- 45° arranged star pattern on the shoulder effectively avoid horizontal slip trend, make cornering more stable
- Horizontal blocks ensure an excellent braking force, avoiding slip in sand, grass or snow

26"

26" 24" 20" 16"

STARMON

H-5170

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W108196	26X4.0	100-559	/	Single	30	Black	Wire	1505
W108197	26X4.0	100-559	/	2C-MTB	60	Black	Wire	1350
W108247	26X4.0	100-559	/	2C-MTB	60	White Wall	Wire	1375
W108205	26X4.0	100-559	/	2C-MTB	120	Black	Foldable	1150

BIG DADDY

H-5176/H-5176TR

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W108203	26X4.9	120-559	/	2C-MTB	60	Black	Wire	1510
W108207	26X4.9	120-559	/	2C-MTB	120	Black	Foldable	1275
W108218	26X4.9	120-559	Tubeless Ready	2C-MTB	120	Black	Foldable	1305
W108199	26X4.0	100-559	/	Single	30	Black	Wire	1540
W108200	26X4.0	100-559	/	2C-MTB	60	Black	Wire	1390
W108206	26X4.0	100-559	/	2C-MTB	120	Black	Foldable	1150
W107018	24X4.0	100-507	/	Single	30	Black	Wire	1400
W105001	20X4.0	100-406	/	Single	30	Black	Wire	1120
W303009	16X4.0	100-305	/	Single	30	Black	Wire	890



FLYING DIAMOND

- Dense arranged knobs in the center part help improve riding experience;
- The square groove on each knob offer grip as well as low rolling resistance on pavement and off road surface;
- High side knobs on tire shoulder provide grip while cornering;
- Stream line style space between knobs help evacuation in rain condition.

700C 29" 27.5"



FLYING DIAMOND H-5224

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W211152	700X45C	47-622	/	Single	30	Black	Wire	660
W211153	700X45C	47-622	Shark Skin	Single	60	Black	Foldable	570
W211149	700X40C	42-622	/	Single	30	Black	Wire	570
W211150	700X40C	42-622	Shark Skin	Single	60	Black	Foldable	490
W211146	700X38C	40-622	/	Single	30	Black	Wire	570
W211147	700X38C	40-622	Shark Skin	Single	60	Black	Foldable	490
W211143	700X35C	37-622	/	Single	30	Black	Wire	470
W211144	700X35C	37-622	Shark Skin	Single	60	Black	Foldable	425
W212006	29X1.50	40-62	/	Single	30	Black	Wire	485
W213019	27.5X1.50	38-584	Shark Skin	Single	60	Black	Foldable	390
W213015	27.5X1.50	38-584	Shark Skin	Single	120	Black/Reflex	Foldable	360
W213017	27.5X1.50	38-584	/	Single	30	Black	Wire	455
W213016	27.5X1.50	38-584	Shark Skin	Single	60	Black/Reflex	Wire	455

CITY/URBAN



FLYING DIAMOND TIGER SHARK SPRINT SPEED SHARK KESTREL MAKO SHARK SPRINT SHARK VIPER SWIFT NORDIC PLUS

TIGER SHARK

- Excellent tear and wear resistance which benefit from unique compound design and high density casing structure is the best guarantee of long span life and durability
- Perfect wet traction and grip while cornering is the most powerful evidence of well designed grooved slick (as TIGER SHARK) tread design and precise side outer edges
- Safety of rider can be ensured maximally result from Kevlar belt which is capable to provide fully puncture resistance protection
- Enjoy your speed leisure life by riding our TIGER SHARK

26"



TIGER SHARK H-469

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W208022	26X1.90	44-559	/	Single	30	Black	Wire	580
W305028	26X1.90	44-559	Rhino Skin	Single	60	Black	Wire	585
W208024	26X1.90	44-559	Shark Skin	2C-MTB	60	Black	Wire	560
W208006	26X1.50	40-559	/	Single	30	Black	Wire	565
W305029	26X1.50	40-559	Rhino Skin	Single	60	Black	Wire	665
W208042	26X1.50	40-559	Shark Skin	2C-MTB	60	Black	Wire	515
W208083	26X1.50	40-559	Shark Skin	2C-MTB	60	Black/Reflex	Wire	525
W308001	26X1.25	32-559	/	Single	30	Black	Wire	420
W308008	26X1.25	32-559	Shark Skin	2C-MTB	60	Black	Wire	400
W308003	26X1.15	28-559	/	Single	30	Black	Wire	355

SPRINT

■ The serrated side is the best choice for cornering stability and great wet traction.

■ Low rolling resistance, more ride comforts as well as excellent drainage performance can be ensured by superb grooved slick design in the center



700C 28" 26"

SPRINT H-480

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W211132	700X45C	47-622	/	Single	30	Black	Wire	705
W211134	700X45C	47-622	/	Single	60	Black	Wire	635
W211135	700X45C	47-622	Rhino Skin	Single	60	Black	Wire	930
W211138	700X42C	44-622	/	Single	30	Black	Wire	700
W211140	700X42C	44-622	/	Single	60	Black	Wire	625
W211137	700X42C	44-622	Rhino Skin	Single	60	Black/Reflex	Wire	935
W211021	700X38C	40-622	/	Single	30	Black	Wire	620
W211104	700X38C	40-622	Hippo Skin	Single	30	Black/Reflex	Wire	700
W211023	700X38C	40-622	/	Single	60	Black	Wire	565
W211099	700X38C	40-622	Rhino Skin	Single	60	Black/Reflex	Wire	820
W211091	700X38C	40-622	Rhino Skin	Single	60	Brown/Reflex	Wire	800
W211106	700X35C	37-622	Hippo Skin	Single	30	Black/Reflex	Wire	655
W211108	700X35C	37-622	/	Single	60	Black/Reflex	Wire	585
W211090	700X35C	37-622	Rhino Skin	Single	60	Brown/Reflex	Wire	790
W211100	700X35C	37-622	Rhino Skin	Single	60	Black/Reflex	Wire	790
W211013	700X32C	32-622	/	Single	30	Black	Wire	505
W211105	700X32C	32-622	/	Single	30	Black/Reflex	Wire	510
W211015	700X32C	32-622	/	Single	60	Black	Wire	450
W211103	700X32C	32-622	Rhino Skin	Single	60	Black/Reflex	Wire	700
W210004	28X1 1/2	40-635	/	Single	30	Black	Wire	495
W210005	28X1 1/2	40-635	Rhino Skin	Single	30	Black/Reflex	Wire	780
W208087	26X1.95	47-559	/	Single	30	Black/Reflex	Wire	880
W208088	26X1.95	47-559	/	Single	60	Black/Reflex	Wire	555
W208089	26X1.50	40-559	/	Single	30	Black/Reflex	Wire	835
W208090	26X1.50	40-559	/	Single	60	Black/Reflex	Wire	500

SPEED SHARK

■ Arrow head tread center is the best guarantee of excellent straight line steering and control without sacrificing grip and acceleration, and minimized rolling resistance can provide you with more efficient and comfort riding


■ With its balanced tread pattern has bikes rolling effortlessly down roads and paths, while its finely siped shoulder grooves provide sure footed grip in curves



26"

SPEED SHARK H-419

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W208007	26X1.60	40-559	/	Single	30	Black	Wire	440
W208066	26X1.60	40-559	Shark Skin	Single	60	Black	Wire	420



KESTREL

- Smooth tread center for low rolling resistance coordinated with variety size of grooves is good for wet traction also
- Lateral shoulder ramp knob provides effective reinforce traction on both wet and debris surface also excellent cornering stability

700C 650B
29" 27.5" 26"
24" 20"



KESTREL H-481

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W211029	700X38C	40-622	/	Single	30	Black	Wire	620
W211166	700X38C	40-622	Hippo Skin	Single	30	Black/Reflex	Wire	700
W211161	700X38C	40-622	Rhino Skin/Gumwall	Single	60	Black/Reflex	Wire	975
W211025	700X35C	37-622	/	Single	30	Black	Wire	575
W211026	700X35C	37-622	Hippo Skin	Single	30	Black	Wire	645
W211028	700X35C	37-622	Rhino Skin	Single	60	Black	Wire	780
W211163	700X35C	37-622	Rhino Skin/Gumwall	Single	60	Brown/Reflex	Wire	925
W211057	700X32C	32-622	/	Single	30	Black	Wire	505
W211058	700X32C	32-622	Hippo Skin	Single	30	Black	Wire	565
W211060	700X32C	32-622	Rhino Skin	Single	60	Black	Wire	690
W211061	700X28C	28-622	/	Single	30	Black	Wire	405
W211101	700X28C	28-622	Rhino Skin	Single	60	Black/Reflex	Wire	565
W213005	650X38B	40-584	/	Single	30	Black	Wire	575
W214001	650X38B	38-584	Hippo Skin	Single	30	Black/Reflex	Wire	650
W213008	650X38B	40-584	Rhino Skin	Single	60	Black	Wire	705
W213002	650X35B	37-584	Hippo Skin	Single	30	Black	Wire	615
W213004	650X35B	37-584	Rhino Skin	Single	60	Black	Wire	690
W212005	29X2.0	50-622	/	Single	30	Black	Wire	770
W212012	29X2.0	50-622	Hippo Skin	Single	30	Black/Reflex	Wire	875
W212007	29X2.0	50-622	/	Single	60	Black/Reflex	Wire	705
W212011	29X2.0	50-622	Rhino Skin/Gumwall	Single	60	Black/Reflex	Wire	1180
W213018	27.5X2.0	50-584	/	Single	30	Black	Wire	680
W213010	27.5X2.0	50-584	Rhino Skin	Single	60	Black/Reflex	Wire	1060
W208092	26X1.75	44-559	Hippo Skin	Single	30	Black/Reflex	Wire	615
W208019	26X1.75	44-559	/	Single	60	Black	Wire	500
W208032	26X1.75	44-559	Rhino Skin	Single	60	Black/Reflex	Wire	770
W208047	26X1.50	40-559	/	Single	30	Black	Wire	545
W208084	26X1.50	40-559	Hippo Skin	Single	30	Black/Reflex	Wire	615
W208050	26X1.50	40-559	Rhino Skin	Single	60	Black	Wire	765
W307003	24X1.25	32-507	/	Single	30	Black	Wire	415
W305043	20X1 1/8	28-451	/	Single	30	Black	Wire	265
W211162	700X45C	47-622	Rhino Skin/Gumwall	Single	60	Black/Reflex	Wire	1150
W211164	700X45C	47-622	Rhino Skin/Gumwall	Single	60	Blk/brown Wall/reflex	Wire	1365

MAKO SHARK

- Unique crown radian design cooperated with enhanced tread base provides unsurpassed wear-resistance and puncture resistance performance
- Central directional and slick groove design ensure low rolling resistance which is helpful to provide you with more speed and relaxing ride
- Excellent cornering traction and precise response can be ensured by enlarged shoulder blocks

700C 28" 26"



MAKO SHARK H-5113

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W211042	700X40C	42-622	Hippo Skin	Single	30	Black	Wire	685
W211043	700X40C	42-622	/	Single	60	Black	Wire	555
W211167	700X40C	42-622	Rhino Skin	Single	60	Black/Reflex	Wire	790
W211037	700X38C	40-622	/	Single	30	Black	Wire	620
W211158	700X38C	40-622	Rhino Skin	Single	60	Black	Foldable	875
W211040	700X38C	40-622	Rhino Skin	Single	60	Black	Wire	835
W211033	700X35C	35-622	/	Single	30	Black	Wire	585
W211034	700X35C	35-622	Hippo Skin	Single	30	Black	Wire	665
W211036	700X35C	35-622	Rhino Skin	Single	60	Black	Wire	780
W211157	700X35C	35-622	Rhino Skin	Single	60	Black	Foldable	845
W211073	700X32C	32-622	/	Single	30	Black	Wire	490
W211156	700X32C	32-622	Rhino Skin	Single	60	Black	Foldable	785
W211065	28X1.75	47-622	/	Single	30	Black	Wire	610
W211067	28X1.75	47-622	/	Single	60	Black	Wire	555
W211068	28X1.75	47-622	Rhino Skin	Single	60	Black	Wire	800
W208034	26X2.35	60-559	/	Single	30	Black	Wire	735
W208030	26X1.95	47-559	/	Single	30	Black	Wire	720
W208053	26X1.95	47-559	Hippo Skin	Single	30	Black	Wire	775
W208021	26X1.95	47-559	Hippo Skin	Single	30	Black/Reflex	Wire	785
W208003	26X1.95	47-559	Shark Skin	Single	60	Black	Wire	690
W208054	26X1.95	47-559	Rhino Skin	Single	60	Black	Wire	1015
W208091	26X1.95	47-559	Rhino Skin	Single	60	Black/Reflex	Wire	835
W208010	26X1.90	44-559	/	Single	30	Black	Wire	630
W208057	26X1.75	44-559	/	Single	30	Black	Wire	630
W208016	26X1.75	44-559	/	Single	30	Black/Reflex	Wire	640
W208093	26X1.75	44-559	Hippo Skin	Single	30	Black/Reflex	Wire	700
W208085	26X1.75	44-559	Rhino Skin	Single	60	Black/Reflex	Wire	795



SPRINT SHARK

- Contiguous center knobs make this tire ideal for breezily riding due to the effectively minimizing of rolling resistance
- Shallow groove base is capable to prevent the knobs from immature cracking
- Multivariate side knobs offer excellent grip and perfect drainage

700C 26"

SPRINT SHARK

H-5126

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W211054	700X40C	42-622	Hippo Skin	Single	30	Black	Wire	680
W211080	700X40C	42-622	Rhino Skin	Single	60	Black/Reflex	Wire	900
W211049	700X38C	40-622	/	Single	30	Black	Wire	605
W211052	700X38C	40-622	Rhino Skin	Single	60	Black	Wire	755
W211046	700X35C	37-622	Hippo Skin	Single	30	Black	Wire	590
W211048	700X35C	37-622	Rhino Skin	Single	60	Black	Wire	710
W211142	700X35C	37-622	Rhino Skin	Single	60	Black/Reflex	Wire	710
W208004	26X1.50	40-559	/	Single	30	Black	Wire	535
W208061	26X1.50	40-559	Hippo Skin	Single	30	Black	Wire	600
W208082	26X1.50	40-559	Hippo Skin	Single	30	Black/Reflex	Wire	610

VIPER

H-479

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W211173	700X28C	28-622	Dino Skin/TanWall	Silica-Training	60	Black/Tawny	Foldable	495
W211172	700X25C	25-622	Dino Skin/TanWall	Silica-Training	60	Black/Tawny	Foldable	465
W212004	29X1.75	44-622	Rhino Skin	Single	60	Black/Reflex	Wire	825
W212001	29X1.50	40-622	/	Single	30	Black	Wire	525
W212002	29X1.50	40-622	Shark Skin+	Single	60	Black	Foldable	460
W212003	29X1.50	40-622	Rhino Skin	Single	60	Black/Reflex	Wire	740
W213014	27.5X1.75	44-584	Rhino Skin	Single	60	Black/Reflex	Wire	675
W213011	27.5X1.50	40-584	/	Single	30	Black	Wire	490
W213012	27.5X1.50	40-584	Shark Skin+	Single	60	Black	Foldable	430
W213013	27.5X1.50	40-584	Rhino Skin	Single	60	Black/Reflex	Wire	635



VIPER

- A treadless slick city/urban tire from our road model Viper.
- Besides its fast rolling character, a Shark Skin+ protection is added to assure your riding safety.

700C 29" 27.5"

SWIFT

- The unique "arge petal" pattern design can not only achieve better visual effects but also increase the riding comfort with enlarged contract surface
- "Lateral" wider rib pattern design on the shoulder can improve the handling while turning
- The better sidewall appearance with small rib pattern
- Streamline pattern groove design can achieve better water traction

700C 26" 24"

SWIFT

H-460

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W211069	700X45C	47-622	/	Single	30	Black	Wire	730
W211087	700X45C	47-622	Rhino Skin	Single	60	Black/Reflex	Wire	935
W211010	700X40C	42-622	Hippo Skin	Single	30	Black	Wire	640
W211012	700X40C	42-622	Rhino Skin	Single	60	Black	Wire	780
W211005	700X38C	40-622	/	Single	30	Black	Wire	565
W211008	700X38C	40-622	Rhino Skin	Single	60	Black	Wire	775
W211001	700X35C	37-622	/	Single	30	Black	Wire	490
W211002	700X35C	37-622	Hippo Skin	Single	30	Black	Wire	545
W211004	700X35C	37-622	Rhino Skin	Single	60	Black	Wire	685
W208086	26X1.95	47-559	Hippo Skin	Single	30	Black/Reflex	Wire	730
W211077	26X1.75	44-559	Hippo Skin	Single	30	Black	Wire	645
W211079	26X1.75	44-559	Rhino Skin	Single	60	Black/Reflex	Wire	760
W211081	26X1 3/8	37-590	/	Single	30	Black	Wire	570
W211089	26X1 3/8	37-590	Rhino Skin	Single	60	Black/Reflex	Wire	645
W207001	24X1.75	47-507	Rhino Skin	Single	60	Black/Reflex	Wire	590
W211175	24X1 3/8	37-540	Hippo Skin	Single	30	Grey	Wire	630
W211131	24X1.95	50-507	Hippo Skin	Single	30	Black/Reflex	Wire	655

NORDIC PLUS

700C

NORDIC PLUS

H-489

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W211125	700X38C	40-622	Rhino Skin+	Single	60	Black/Reflex	Wire	820
W211171	700X38C	40-622	Rhino Skin+/Gumwall	Single	60	Black/Reflex	Wire	1150
W211123	700X35C	37-622	Rhino Skin+	Single	60	Black/Reflex	Wire	740
W211170	700X35C	37-622	Rhino Skin+/Gumwall	Single	60	Black/Reflex	Wire	1050
W211124	700X32C	32-622	Rhino Skin+	Single	60	Black/Reflex	Wire	700
W211122	700X28C	28-622	Rhino Skin+	Single	60	Black/Reflex	Wire	640





UNIQUE SILICA COMPOUND FOR ROAD RACING



TREAD
SHOULDER

■ Professional racing compound with super grip and lowest rolling resistance performance.



TREAD
SHOULDER

■ All condition road racing compound offers excellent grip and low rolling resistance, while provides exceptional tread wear.



TREAD
SHOULDER

■ Our performance compound for all condition training use, with ideal durability and grip, usually comes with anti-puncture technology like Shark Skin or Hippo Skin.
Extra mileage for extra fun!



BASE

■ Economical choice to have a taste of our magical Silica compound.

	SILICA-MAXX	SILICA-SPEED	SILICA-TRAINING	SILICA
GRIP	██████████	██████████	██████████	██████
ROLLING RESISTANCE	██████████	██████████	██████	██████
MILEAGE	██████	██████	██████████	██████████

ABOUT SILICA TECH

With years of experience in Ultra High Performance car tires, we adapted our unique SILICA technology to bicycle racing tires perfectly.

It is known that better grip comes with higher rolling resistance. Our unique Silica Tech keeps an ideal balance between tire rolling resistance and grip performance.

Silica material effectively reduces friction between rubber atoms, thus lower energy consumption and provides lower rolling resistance.

Tires with our unique Silica Tech compound have soft and flexible tread, which helps enlarge the contact area to boost perfect grip ability.



ROAD



FLY FISH


- Thanks to the design of special cambered surface in the middle, you'll enjoy an extremely low rolling resistance and comfortable riding experience
- Minor grooves on the shoulder makes cornering more stable and avoid side slipping
- Superlight and high density Kevlar anti-puncture layer give the tire an impressive anti-puncture ability
- The newest compound specially designed to lower the rolling resistance and increase traction force

700C



FLY FISH H-486

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
E311012	700X25C	25-622	B to B	Silica-Training	60	Black	Foldable	290
E311011	700X25C	25-622	Dino Skin	Silica-Speed	120	Black	Foldable	235
E311010	700X25C	25-622	Dino Skin	Silica-Maxx	120	Black	Foldable	235
E311009	700X23C	23-622	Dino Skin	Silica-Speed	120	Black	Foldable	195
E311001	700X23C	23-622	Dino Skin	Silica-Maxx	120	Black	Foldable	195





VIPER TRAINING

- First choice for Training road bikes!
- Equipped with Chaoyang exclusive Dino Skin(Kevlar) anti-puncture techniques, just throw away your anxiety for flat tires and keep riding, it's the most LITE weight and top anti-puncture protected for training road bike tire.
- Silica Training compound is ideal durability and grip in our Unique Silica tech, extra mileage for extra fun

700C



VIPER DURO

- KM eater !
- Equipped with specially Shark Skin+ anti-puncture techniques, keep you just riding without flat worried. Silica Training compound is ideal durability and grip in our Unique Silica tech, extra mileage for extra fun.
- Color shoulder is available.

700C

VIPER TRAINING H-479

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
E311013	700X28C	28-622	Dino Skin	Silica-Training	60	Black	Foldable	320
E311014	700X25C	25-622	Dino Skin	Silica-Training	60	Black	Foldable	280
E311015	700X23C	23-622	Dino Skin	Silica-Training	60	Black	Foldable	240

VIPER DURO H-479

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
E311016	700X28C	28-622	Shark Skin+	Silica-Training	60	Black	Foldable	330
E311033	700X28C	28-622	Dino Skin/B to B	Silica-Training	60	Black	Foldable	400
E311029	700X25C	25-622	Shark Skin+	2C-Road	60	Black	Foldable	315
TBA	700X25C	25-622	Shark Skin+	2C-Road	60	Color Stripe	Foldable	315
E311017	700X25C	25-622	Shark Skin+	Silica-Training	60	Black	Foldable	315
E311032	700X25C	25-622	Dino Skin/B to B	Silica-Training	60	Black	Foldable	345
E311022	700X23C	23-622	Shark Skin+	Silica-Training	60	Black	Foldable	250
E311031	700X23C	23-622	Dino Skin/B to B	Silica-Training	60	Black	Foldable	300



VIPER

- Continuous smooth center equipped with roughness on shoulder allows for optimal traction and stability while cornering
- Superlite casing is built for easier, fast rolling and also superb wet traction



700C

VIPER H-479

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W311089	700X28C	28-622	Shark Skin	Single	60	Black	Wire	385
W311127	700X28C	28-622	Shark Skin	Single	60	Black	Foldable	325
W311082	700X25C	25-622	Shark Skin	Single	60	Black	Wire	345
W311076	700X25C	25-622	Shark Skin	Single	60	Black	Foldable	285
TBA	700X25C	25-622	Shark Skin	2C-Road	60	Color Stripe	Foldable	295
W311093	700X23C	23-622	Shark Skin	Single	60	Black	Wire	300
W311078	700X23C	23-622	Shark Skin	Single	60	Black	Foldable	240
TBA	700X23C	23-622	Shark Skin	2C-Road	60	Color Stripe	Foldable	265

MINI SHARK H-457

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W211094	700X28C	28-622	/	Single	30	Black	Wire	370
W311126	700X28C	28-622	Shark Skin	Single	30	Black	Wire	420
W311125	700X25C	25-622	Shark Skin	Single	30	Black	Wire	380



MINI SHARK

- Small diamonds profile provides excellent cornering and grip performance on both dry and wet road condition.
- Hippo Skin protection assures ideal puncture resistance ability on gravel road.
- Dual color available!

700C



SPEED SHARK

- Arrow head tread center is the best guarantee of excellent straight line steering and control without sacrificing grip and acceleration, and minimized rolling resistance can provide you with more efficient and comfortable riding
- With its balanced tread pattern, it has bikes rolling effortlessly down roads and paths, while its finely spaced shoulder grooves provide sure footed grip in curves

700C

SPEED SHARK H-419

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W311044	700X28C	28-622	/	Single	30	Black	Wire	405
W311131	700X28C	28-622	Shark Skin	Single	60	Black	Wire	405
W311026	700X25C	25-622	/	Single	30	Black	Wire	365
W311028	700X25C	25-622	Shark Skin	Single	60	Black	Wire	370
W311029	700X25C	25-622	Shark Skin	Single	60	Black	Foldable	305
W311008	700X23C	23-622	/	Single	30	Black	Wire	315
W211097	700X23C	23-622	Shark Skin	Single	60	Black	Foldable	235

DOLPHIN H-470

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W314001	650X23C	23-571	/	Single	30	Black	Wire	320
W308002	26X1	23-571	/	Single	60	Black	Wire	290
W307001	24X1	23-520	/	Single	30	Black	Wire	275
W306001	22X1	23-470	/	Single	30	Black	Wire	260



DOLPHIN

- Perfect touch between tire and road surface and excellent wear resistance which benefits from the intensive selected dual tread compound by our engineers
- Diamond knurled pattern armed on both sides of center tread provide perfect turning traction and grip, and excellent straight accelerating and cornering handling performance can be ensured by central smooth tread
- Safety of rider can be ensured maximally result from Kevlar belt which is capable of providing full puncture resistance protection

700C

ATTACK PARD

- A grooved slick center designed for minimal rolling resistance and optimal accelerating performance can ensure an improved ride comfort
- Wave-shaped shoulder grooves will provide enough grip while high speed cornering and outstanding wet traction
- We will also engineer the tire with special puncture protection structure to keep the tire from penetration effectively



Full Color



Dual Color



700C

ATTACK PARD H-5128

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
TBA	700X28C	28-622	/	Single	30	Color	Wire	430
W311038	700X28C	28-622	/	Single	30	Black	Wire	340
W311042	700X28C	28-622	Hippo Skin	Single	30	Black	Wire	375
TBA	700X28C	28-622	Hippo Skin	2C-Road	30	Color Stripe	Wire	395
TBA	700X25C	25-622	/	Single	30	Color	Wire	475
W311130	700X25C	25-622	Shark Skin	Single	30	Black	Wire	385
TBA	700X25C	25-622	/	2C-Road	30	Color Stripe	Wire	380
W311036	700X25C	25-622	Shark Skin	Single	60	Black	Wire	355
TBA	700X23C	23-622	Hippo Skin	Single	30	Color	Wire	475
W311005	700X23C	23-622	Shark Skin	Single	60	Black	Wire	305
TBA	700X23C	23-622	/	2C-Road	30	Color Stripe	Wire	325
W311006	700X23C	23-622	Shark Skin	2C-Road	60	Black	Foldable	245
W308005	26X1	25-559	/	Single	30	Black	Wire	310

BMX



SPEED DEVIL FRONT H-5212

- Central big arrow shape knobs offers stable traction and low rolling resistance;
- Tiny knobs covering rest of the tire tread offers perfect grip on hard pack, wood and cement track;
- Speed Devil is all about speed!

20"



SPEED DEVIL REAR H-5218

- Continuous rib in the center offers clear riding direction;
- Central rib and knobs impact contact area with track and improve grip.

20"

SPEED DEVIL H-5212

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W405011	20X1.60	41-406	/	Single	60	Black	Wire	300
W405012	20X1.60	41-406	/	Single	60	Black	Foldable	265
W405013	20X1.60	41-406	/	Single	120	Black	Foldable	235

SPEED DEVIL H-5218

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W405008	20X1.85	46-406	/	Single	60	Black	Wire	415
W405009	20X1.85	46-406	/	Single	60	Black	Foldable	380
W405010	20X1.85	46-406	/	Single	120	Black	Foldable	275

SPEED ROLLER H-5130

- Even distributed square knob design will not only provide excellent traction and enough grips for a vast number of terrains and road conditions, but also more ride comfort
- Large block style side knobs and diamond-knurlled sidewall surface will improve the cornering traction effectively
- High strength casing structure will protect the tire from being penetrated and shocked effectively

20"



SPEED ROLLER H-5130

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W405006	20X2.0	50-406	/	Single	30	Black	Wire	625
W405001	20X2.0	50-406	/	Single	60	Black	Wire	560
W405002	20X2.0	50-406	/	Single	60	Black	Foldable	465
W405003	20X1.50	40-406	/	Single	60	Black	Wire	405
W405004	20X1 3/8	37-451	/	Single	60	Black	Wire	395
W405005	20X1 1/8	28-451	/	Single	60	Black	Wire	355



ZERMATT

- Carbide nails are inlayed on the tread which provide good handling while driving on icy roads and ramps
- The "diamond" pattern design in the center cooperated with unique skid-proof compound system enlarge contact area between tire and floppy snow to provide more friction
- "Hexagons" pattern design and "Parabola" juncture between blocks strengthen the rigidity of casing, prevent pattern from cracking and improve the durability
- Curved crown, streamline tread design and slanting shoulder provide superior steering and excellent mud clearance



CORTINA

- Hexagons pattern design and parabola juncture between blocks strengthen the rigidity of casing, and prevent knobs from cracking and improved durability effectively
- Wide opened center and side knobs provide excellent mud and snow clearance
- The diamond pattern design in the center cooperated with unique skid-proof compound system is capable to enlarge contract area between tire surface and floppy snow with providing optimal friction
- Carbide nails are inlayed inside of the tread blocks which will ensure excellent handling, grip and traction while driving on icy roads and ramps

26"

700C

ZERMATT

H-5111

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W508002	26X1.95	47-559	Shark Skin	Single	60	Black	Wire	685

CORTINA

H-467

Part No.	Size	ETRTO	Technology	Compound	TPI	Color	Bead	Weight (g)
W511002	700X38C	40-622	Rhino Skin	Single	60	Black	Wire	970

SPIKES



ZERMATT



CORTINA

ARAMID TIRE



WIRE BEAD TIRES TAG

Customer oriented designed tag for display use and better understanding of different functions.



STANDARD TUBE

- Optimal air retention performance, anti-freezing, heat-resisting
- All butyl rubber made, excellent tensile elongation performance

0.90MM THICKNESS

- 0.90mm in thickness
- Lightweight and durable racing tubes



Part No.	Size	ETRTO	Valve	Part No.	Size	ETRTO	Valve
Y011601	12 1/2x1.75/2 1/4	50/54-203	A/V 33mm	Y040201	18x1.95/2.125	50/54-355	A/V 33mm
Y011501	12 1/2x2 1/4	57-203	A/V 33mm	Y040222	18x1.95/2.125	50/54-355	E/V
Y011529	12 1/2x2 1/4	50/54-203	A/V 42°	Y050906	20x1	23-451 23-420	F/V 33mm
Y011522	12 1/2x2 1/4	50/54-203	E/V	Y050908	20x1	23-451 23-420	F/V 48mm
Y011531	12 1/2x2 1/4	50/54-203	E/V-EP2	Y051002	20x1 1/8	28-451	A/V 40mm
Y011506	12 1/2x2 1/4	50/54-203	F/V 33mm	Y051003	20x1 1/8	28-451	A/V 48mm
Y011508	12 1/2x2 1/4	50/54-203	F/V 48mm	Y051006	20x1 1/8	28-451	F/V 33mm
Y011523	12 1/2x2 1/4	50/54-203	I/V	Y051007	20x1 1/8	28-451	F/V 40mm
Y011519	12 1/2x2 1/4	50/54-203	TRI-PD(G) 26.5mm	Y051008	20x1 1/8	28-451	F/V 48mm
Y011503	12 1/2x2 1/4	50/54-203	A/V 48mm	Y051009	20x1 1/8	28-451	F/V 60mm
Y011516	12 1/2x2 1/4	50/54-203	D/V EP2 26.5mm	Y051004	20x1 1/8	28-451	A/V 60mm
Y011517	12 1/2x2 1/4	50/54-203	D/V EP2 35mm	Y051403	20x1 3/8	37-451	A/V 48mm
Y011518	12 1/2x2 1/4	50/54-203	D/V EP2 40mm	Y051416	20x1 3/8	37-451	D/V EP2 26.5mm
Y011701	12 1/2x2 1/4/2.40	57/62-203	A/V 33mm	Y051417	20x1 3/8	37-451	D/V EP2 35mm
Y011729	12 1/2x2 1/4/2.40	57/62-203	A/V 42°	Y051422	20x1 3/8	37-451	E/V
Y011735	12 1/2x2 1/4/2.40	57/62-203	A/V 90°	Y051406	20x1 3/8	37-451	F/V 33mm
Y011718	12 1/2x2 1/4/2.40	57/62-203	D/V EP2 40mm	Y051408	20x1 3/8	37-451	F/V 48mm
Y011722	12 1/2x2 1/4/2.40	57/62-203	E/V	Y051409	20x1 3/8	37-451	F/V 60mm
Y011731	12 1/2x2 1/4/2.40	57/62-203	E/V-EP2	Y051106	20x1.0/1.25	25/32-406	F/V 33mm
Y020101	14x1.50/1.75	40/47-254	A/V 33mm	Y051108	20x1.0/1.25	25/32-406	F/V 48mm
Y020103	14x1.50/1.75	40/47-254	A/V 48mm	Y051301	20x1.25/1.50	32/40-406	A/V 33mm
Y020118	14x1.50/1.75	40/47-254	D/V EP2 40mm	Y051302	20x1.25/1.50	32/40-406	A/V 40mm
Y020106	14x1.50/1.75	40/47-254	F/V 33mm	Y051303	20x1.25/1.50	32/40-406	A/V 48mm
Y020108	14x1.50/1.75	40/47-254	F/V 48mm	Y051304	20x1.25/1.50	32/40-406	A/V 60mm
Y020124	14x1.50/1.75	40/47-254	I/V	Y051306	20x1.25/1.50	32/40-406	F/V 33mm
Y020201	14x1.95/2.125	50/54-254	A/V 33mm	Y051307	20x1.25/1.50	32/40-406	F/V 40mm
Y020601	14x2.125	54-254	A/V 33mm	Y051308	20x1.25/1.50	32/40-406	F/V 48mm
Y020223	14x2.125	54-254	I/V	Y050101	20x1.50/1.75	40/47-406	A/V 33mm
Y023423	14x1 3/8x1 5/8	32/37-288/298	I/V	Y050116	20x1.50/1.75	40/47-406	D/V EP2 26.5mm
Y030101	16x1.50/1.75	40/47-305	A/V 33mm	Y050117	20x1.50/1.75	40/47-406	D/V EP2 35mm
Y030103	16x1.50/1.75	40/47-305	A/V 48mm	Y050118	20x1.50/1.75	40/47-406	D/V EP2 40mm
Y030116	16x1.50/1.75	40/47-305	D/V EP2 26.5mm	Y050119	20x1.50/1.75	40/47-406	D/V PDG 26.5mm
Y030118	16x1.50/1.75	40/47-305	D/V EP2 40mm	Y050106	20x1.50/1.75	40/47-406	F/V 33mm
Y030119	16x1.50/1.75	40/47-305	D/V PDG 26.5mm	Y050108	20x1.50/1.75	40/47-406	F/V 48mm
Y030106	16x1.50/1.75	40/47-305	F/V 33mm	Y050123	20x1.50/1.75	40/47-406	I/V
Y030201	16x1.95/2.125	50/54-305	A/V 33mm	Y050122	20x1.50/1.75	40/47-406	E/V
Y030203	16x1.95/2.125	50/54-305	A/V 48mm	Y050236	20x1.95/2.125	50/54-406	I/V 40mm
Y030216	16x1.95/2.125	50/54-305	D/V EP2 26.5mm	Y050201	20x1.95/2.125	50/54-406	A/V 33mm
Y030231	16x1.95/2.125	50/54-305	E/V-EP2	Y050203	20x1.95/2.125	50/54-406	A/V 48mm
Y030206	16x1.95/2.125	50/54-305	F/V 33mm	Y050216	20x1.95/2.125	50/54-406	D/V EP2 26.5mm
Y030223	16x1.95/2.125	50/54-305	I/V	Y050219	20x1.95/2.125	50/54-406	D/V PDG 26.5mm
Y030601	16x2.125	54-305	A/V 33mm	Y050222	20x1.95/2.125	50/54-406	E/V
Y030622	16x2.125	54-305	E/V	Y050231	20x1.95/2.125	50/54-406	E/V-EP2
Y034001	16x2.30/2.40/2.50	57/62-305	A/V 33mm	Y050206	20x1.95/2.125	50/54-406	F/V 33mm
Y030703	16x2.30/2.40/2.50	57/62-305	A/V 48mm	Y050223	20x1.95/2.125	50/54-406	I/V
Y032801	16x4.0/4.90	100/120-305	A/V 33mm	Y050202	20x1.95/2.125	50/54-406	A/V 40mm
Y040101	18x1.50/1.75	40/47-355	A/V 33mm	Y050601	20x2.125	54-406	A/V 33mm
Y040103	18x1.50/1.75	40/47-355	A/V 48mm	Y050603	20x2.125	54-406	A/V 48mm
Y040116	18x1.50/1.75	40/47-355	D/V EP2 26.5mm	Y050627	20x2.125	54-406	C/V
Y040118	18x1.50/1.75	40/47-355	D/V EP2 40mm	Y050622	20x2.125	54-406	E/V
Y040108	18x1.50/1.75	40/47-355	F/V 48mm	Y054503	20x2.30/2.40/2.50	57/62-406	A/V 33mm
				Y050701	20x2.30/2.40/2.50	57/62-406	A/V 33mm

STANDARD TUBE

Part No.	Size	ETRTO	Valve
NEW Y040123	18x1.50/1.75	40/47-355	I/V
NEW Y011502	12 1/2x2 1/4	50/54-203	A/V 40mm
NEW Y030102	16x1.50/1.75	40/47-305	A/V 40mm
NEW Y071103	24x1.0/1.25	23/32-520	A/V 48mm
NEW Y093703	27.5x2.5/3.0	62/76-584	A/V 48mm
NEW Y113703	29x2.5/3.0	62/76-622/630	A/V 48mm
NEW Y113708	29x2.5/3.0	62/76-622/630	A/V 48mm
NEW Y113709	29x2.5/3.0	62/76-622/630	F/V 60mm
NEW Y121408S	700x23/28C	23/28-622/630	F/V 48mm Detachable
NEW Y121409S	700x23/28C	23/28-622/630	F/V 60mm Smooth/Detachable
NEW Y121410S	700x23/28C	23/28-622/630	F/V 80mm Smooth/Detachable
NEW Y124008	700x18/25C	18/23-622/630	F/V 48mm
NEW Y124144	700x23/28C	23/28-622/630	F/V 80mm Smooth
NEW Y130508S	27.5x2.25/2.50	57/62-584	F/V 48mm Detachable
NEW Y133709	27.5x2.5/3.0	62/76-584	F/V 60mm

SELF-SEALING TUBE

Part No.	Size	ETRTO	Valve	Part No.	Size	ETRTO	Valve
Y050201F	20x1.95/2.125	50/54-406	A/V 33mm	NEW Y110408SF	29x2.10/2.25	52/57-622/630	F/V 48mm Detachable
Y050203F	20x1.95/2.125	50/54-406	A/V 48mm	NEW Y122408SF	700x25/32C	25/32-622/630	F/V 60mm Detachable
Y070203F	24x1.95/2.125	50/54-507	A/V 48mm	NEW Y122409SF	700x25/32C	25/32-622/630	F/V 80mm Detachable
Y070203F	24x1.95/2.125	50/54-507	A/V 48mm	NEW Y122410SF	26x1.95/2.125	50/54-559	A/V 48mm
Y080203F	26x1.95/2.125	50/54-559	A/V 48mm	NEW Y122607	700x38/45C	38/45-622/630	F/V 40mm
Y080201F	26x1.95/2.125	50/54-559	A/V 33mm	NEW Y151903F	37x533	-	A/V 48mm
Y080201+3F	26x1.95/2.125	50/54-559	A/V 33mm				
Y080203F	26x1.95/2.125	50/54-559	A/V 48mm				
Y080206F	26x1.95/2.125	50/54-559	F/V 33mm				
Y080207F	26x1.95/2.125	50/54-559	F/V 40mm				
Y080208SF	26x1.95/2.125	50/54-559	F/V 48mm Detachable				
Y080701F	26x2.30/2.40/2.50	57/62-559	A/V 33mm				
Y080706F	26x2.30/2.40/2.50	57/62-559	F/V 33mm				
Y090301F	27.5x1.75/2.10	47/52-584	A/V 33mm				
Y130303F	27.5x1.75/2.10	47/52-584	A/V 48mm				
Y090306F	27.5x1.75/2.10	47/52-584	F/V 33mm				
Y090307F	27.5x1.75/2.10	47/52-584	F/V 40mm				
Y130308F	27.5x1.75/2.10	47/52-584	F/V 48mm				
Y092201F	27x1 1/4	32-630	A/V 33mm				
Y102903F	28x1.75	47-622	A/V 48mm				
Y100301F	28x1.75/2.10	47/52-622	A/V 33mm				
Y110301F	29x1.75/2.10	47/52-622/630	A/V 33mm				
Y110303F	29x1.75/2.10	47/52-622/630	A/V 48mm				
Y110306F	29x1.75/2.10	47/52-622/630	F/V 33mm				
Y110307F	29x1.75/2.10	47/52-622/630	F/V 40mm				
Y110308F	29x1.75/2.10	47/52-622/630	F/V 48mm				
Y122306F	700x18/23C	18/23-622/630	F/V 33mm				
Y122307F	700x18/23C	18/23-622/630	F/V 40mm				
Y122308F	700x18/23C	18/23-622/630	F/V 48mm				
Y122309F	700x18/23C	18/23-622/630	F/V 60mm				
Y122310F	700x18/23C	18/23-622/630	F/V 80mm				
Y122401F	700x25/32C	25/32-622/630	A/V 33mm				
Y122501F	700x33/37C	33/37-622/630	A/V 33mm				
Y122603F	700x38/45C	38/45-622/630	A/V 48mm				



0.9MM

- 0.9mm in thickness
- Very high quality inner-tubes prefilled with sealant, prevents flats by instantly sealing punctures in the tread area of the tire. Enjoy your no worry trip!

SUPER LITE TUBE


Part No.	Size	ETRTO	Valve
Y081301-1	26x1.25/1.50	32/40-559/571	A/V 33mm
Y081306-1	26x1.25/1.50	32/40-559/571	F/V 33mm
Y081307-1	26x1.25/1.50	32/40-559	F/V 40mm
Y080101-1	26x1.50/1.75	40/47-559	A/V 33mm
Y080108-1	26x1.50/1.75	40/47-559	F/V 48mm
Y080201-1	26x1.95/2.125	50/54-559	A/V 33mm
Y080202-1	26x1.95/2.125	50/54-559	A/V 40mm
Y080206-1	26x1.95/2.125	50/54-559	F/V 33mm
Y080207-1	26x1.95/2.125	50/54-559	F/V 40mm
Y080208-1	26x1.95/2.125	50/54-559	F/V 48mm
Y130301-1	27.5x1.75/2.10	47/52-584	A/V 33mm
Y090301-1	27.5x1.75/2.10	47/52-584	A/V 33mm
Y090306-1	27.5x1.75/2.10	47/52-584	F/V 33mm
Y130308-1	27.5x1.75/2.10	47/52-584	F/V 48mm
Y130406-1	27.5x2.10/2.25	52/57-584	F/V 33mm
Y130407-1	27.5x2.10/2.25	52/57-584	F/V 40mm
Y110301-1	29x1.75/2.10	47/52-622/630	A/V 33mm
Y110306-1	29x1.75/2.10	47/52-622/630	F/V 33mm
Y110307-1	29x1.75/2.10	47/52-622/630	F/V 40mm
Y122328-1	700x18/23C	18/23-622/630	F/V 100mm
Y122307-1	700x18/23C	18/23-622/630	F/V 40mm
Y122308-1	700x18/23C	18/23-622/630	F/V 48mm
Y122309-1	700x18/23C	18/23-622/630	F/V 60mm
Y122310-1	700x18/23C	18/23-622/630	F/V 80mm
Y122326-1	700x18/23C	18/23-622/630	F/V 80mm Smooth
Y122406-1	700x25/32C	25/32-622/630	F/V 33mm
Y122407-1	700x25/32C	25/32-622/630	F/V 40mm
Y122408-1	700x25/32C	25/32-622/630	F/V 48mm
Y122409-1	700x25/32C	25/32-622/630	F/V 60mm
Y122410-1	700x25/32C	25/32-622/630	F/V 80mm

- weight without the box
- Presta & Schrader valves
- **Schrader:** normal-48mm plus 4g
- **Presta:** normal-48mm plus 1.2g, normal-60mm plus 2.2g







0.65MM

- 0.65mm in thickness
- Lightweight and durable racing tubess



■ Providing more safety under deflation/heavy duty

Part No.	Size	ETRTO	Valve
Y051001+1	20x1 1/8	28-451	A/V 33mm
Y051401+1	20x1 3/8	37-451	A/V 33mm
Y050101+1	20x1.50/1.75	40/47-406	A/V 33mm
Y080201+1	26x1.95/2.125	50/54-559/571	A/V 33mm
Y080203+1	26x1.95/2.125	50/54-406	A/V 48mm
Y080208+1	26x1.95/2.125	50/54-406	F/V 48mm
Y130402+1	26x2.30/2.40/2.50	57/62-559	A/V 40mm
Y080707+1	26x2.30/2.40/2.50	57/62-559	F/V 40mm
Y130407+1	26x2.30/2.40/2.50	57/62-559	F/V 40mm
Y080708+1	26x2.30/2.40/2.50	57/62-559	F/V 48mm
Y080708S+1	26x2.30/2.40/2.50	57/62-559	F/V 48mm Detachable
Y050201+2	20x1.95/2.125	50/54-406	A/V 33mm
Y080201+2	26x1.95/2.125	50/54-406	A/V 33mm
Y080702+2	26x2.30/2.40/2.50	57/62-559	A/V 40mm
Y080707+2	26x2.30/2.40/2.50	57/62-559	F/V 40mm
Y080708+2	26x2.30/2.40/2.50	57/62-559	F/V 48mm



THORN RESISTANCE TUBE

■ Specially produced for puncture resistance which will provide more safety for your riding



Part No.	Size	ETRTO	Valve
Y030202+3	16x1.95/2.125	50/54-305	A/V 40mm
Y050201+3	20x1.95/2.125	50/54-406	A/V 33mm
Y050202+3	20x1.95/2.125	50/54-406	A/V 40mm
Y070202+3	24x1.95/2.125	50/54-507	A/V 40mm
Y080201+3	26x1.95/2.125	50/54-559	A/V 33mm
Y080202+3	26x1.95/2.125	50/54-559	A/V 40mm
Y080203+3	26x1.95/2.125	50/54-559	A/V 48mm
Y080207+3	26x1.95/2.125	50/54-559	F/V 40mm
Y080701+3	26x2.30/2.40/2.50	57/62-559	A/V 33mm
Y130303+3	27.5x1.75/2.10	47/52-584	A/V 48mm
Y130308+3	27.5x1.75/2.10	47/52-584	F/V 48mm
Y092202+3	27x1 1/4	32-630	A/V 40mm
Y110303+3	29x1.75/2.10	47/52-622/630	A/V 48mm
Y110308+3	29x1.75/2.10	47/52-622/630	F/V 48mm
Y122402+3	700x25/32C	25/32-622/630	A/V 40mm
Y122409+3	700x25/32C	25/32-622/630	F/V 60mm
Y122509+3	700x33/37C	33/37-622/630	F/V 60mm
Y122602+3	700x38/45C	38/45-622/630	A/V 40mm
Y122608+3	700x38/45C	50/54-507	F/V 48mm

MARKETING MATERIAL



Gel Ink Pen

CAR&SHOP WINDOW L1000x240mm



BIKE&OTHERS 100x23mm



CAR&VAN&TRUCK 300x70mm



CYSTK-1
CAR&SHOP WINDOW L1000x195mm



CYSTK-2
CAR&VAN&TRUCK L300x58.6mm



CYSTK-3
CAR&SHOP WINDOW L900x175.7mm



CYSTK-4
CAR&VAN&TRUCK L300x73mm



Tire lever

CYSTK-5
W180xH105mm



CYSTK-6
W195xH80mm



Silicon Bracelet



Non-woven cloth bag



Drawstring Backpack



Cycling Sock

MARKETING MATERIAL



Fast Dry T-shirt



Polo Shirt



Snap cap with 3D logo



Fast Dry Cap



Windproof Cycling Jacket



Cycling Jersey



MARKETING MATERIAL



Tire Retail Display Rack - 0.76m width available

Tire display rack

MARKETING MATERIAL



Event Set (All above packed in one wooden case)

A series of horizontal dashed lines for writing notes.

A series of horizontal dashed lines for writing notes.

