

CHAORYANG[®] TIRES

Elite 2025

TREAD PROTECTION

5

Grade

★★★★★

Protection Grade



DINO SKIN

KEVLAR® 3 BREAKER

The best solution for anti-punctures, it is double protection for the tire. An extremely closed meshed and dense fabric (Kevlar3) always used for flack jacket placed under the tread.

5

Grade

★★★★★

Protection Grade



5mm RUBBER BREAKER

RHINO SKIN

A layer of 5mm thick, special high elastic rubber,most effective protection breaker for bicycle tires,even a thumbtack won't harm it. Usually used in city/urban tires application.

4

Grade

★★★★☆

Protection Grade



3mm RUBBER BREAKER

HIPPO SKIN PRO

A layer of 3mm rubber breaker, the extra puncture protection combined with the rubber-reinforced sidewalls ensures a high level of puncture protection and sidewall abrasion. Specially designed for cargo tires, where durability is the main focus.

4

Grade

★★★★☆

Protection Grade



40x40 NYLON BREAKER

SHARK SKIN+

The upgrade edition of SHARK SKIN,using 40X40 Nylon Canvas as breaker material, provide super puncture and tear resistance.

Protection Grade

3

Grade

★★★★☆



1.5mm KEVLAR® FLOC BREAKER

HIPPO SKIN

Kevlar Floc as a composite of mixture rubber and Kevlar fiber, 1.5mm layer between tread and casing, which improve the rigid of tire and puncture protection. It will be applied in range of city/urban tires.

3

Grade

★★★★☆

Protection Grade



NYLON BREAKER

SHARK SKIN

High density Nylon breaker will not only keep light weight, but also provide highly puncture protection from glass, debris and other materials with sharp edge.

SIDEWALL PROTECTION

SPS(SHARK SKIN protection system on sidewall) present a great cut-resistant performance on sidewall against sharp rocks.



Choose S+PS(Shark skin+ Protection System on sidewall), will give you more confidence to ride, through the Rocky terrain, and treacherous trails where the risk of sidewall cuts and abrasions is high. Also very suited for tubeless ready tire conversion. It can save half quantity of sealing liquid, and keep the air pressure longer.



BEAD TO BEAD PROTECTION

Based on SHARK SKIN+ technology, while offers protection from Bead to Bead. This additional all-round puncture protection layer make the casings extremely durable against different damage.



The additional layer of protection from bead to bead, same material with the casing, present great protection both on sidewall and tread.



The Pro edition of "B to B", keep the same extreme protection for carcass, meanwhile the special rubber inside the carcass layers provides strengthened sidewall to ensure stability during freeride and downhill.



DOWNHILL PROTECTION

Extra butyl rubber offers extra safety and bead anti-puncture ability, to prevent pinch flats at low air pressure, also helps protect rim from hard hits and keep tire beads seat firmly with rim. Especially made for freeride and downhill use.



Dual Ply casing makes our DH/FR tires even tougher and stonger!



WOVEN

	CY No.	PART No.	SIZE	ETRTO	TECHNOLOGY	COMPOUND	TPI	COLOR	BEAD	WEIGHT(g)
			700×28C	28-622	Dino Skin/ B to B/TLR	Silica-Maxx	120	Black	Foldable	290
NEW			700×30C	30-622	Dino Skin/ B to B/TLR	Silica-Maxx	120	Black	Foldable	
NEW			700×32C	32-622	Dino Skin/ B to B/TLR	Silica-Maxx	120	Black	Foldable	
			700×25C	25-622	Dino Skin	Silica-Maxx	120	Black	Foldable	225
			700×28C	28-622	Dino Skin	Silica-Maxx	120	Black	Foldable	245
NEW			700×30C	30-622	Dino Skin	Silica-Maxx	120	Black	Foldable	
NEW			700×32C	32-622	Dino Skin	Silica-Maxx	120	Black	Foldable	
			700×25C	25-622	Shark Skin	Silica-Training	60	Black	Foldable	247
			700×28C	28-622	Shark Skin	Silica-Training	60	Black	Foldable	271
NEW			700×30C	30-622	Shark Skin	Silica-Training	60	Black	Foldable	313
NEW			700×32C	32-622	Shark Skin	Silica-Training	60	Black	Foldable	320



MERLIN

NEW

NEW

CY No.	PART No.	SIZE	ETRTO	TECHNOLOGY	COMPOUND	TPI	COLOR	BEAD	WEIGHT(g)
H-496TR		700×25C	25-622	Dino Skin/ B to B/TLR	Silica-Maxx	120	Black	Foldable	260
H-496TR		700×28C	28-622	Dino Skin/ B to B/TLR	Silica-Maxx	120	Black	Foldable	290
H-496TR		700×30C	30-622	Dino Skin/ B to B/TLR	Silica-Maxx	120	Black	Foldable	
H-496		700×25C	25-622	Dino Skin	Silica-Maxx	120	Black	Foldable	225
H-496		700×28C	28-622	Dino Skin	Silica-Maxx	120	Black	Foldable	245
H-496		700×30C	30-622	Dino Skin	Silica-Maxx	120	Black	Foldable	
H-496		700×28C	28-622	Dino Skin	Silica-Maxx	120	Pink/Yellow/Blue	Foldable	278
H-496		700×30C	28-622	Dino Skin	Silica-Maxx	120	Pink/Yellow/Blue	Foldable	



Zuper R4

CY No.	PART No.	SIZE	ETRTO	TECHNOLOGY	COMPOUND	TPI	COLOR	BEAD	WEIGHT(g)
H-494		700×25C	25-622	Shark Skin	Silica-Training	60	Black	Wire	311
H-494		700×28C	28-622	Shark Skin	Silica-Training	60	Black	Wire	335
H-494		700×25C	25-622		Single	30	Black	Wire	
H-494		700×28C	28-622		Single	30	Black	Wire	



- Small diamonds profile provides excellent cornering and grip performance on both dry and wet road condition.
- Hippo Skin protection assures ideal puncture resistance ability on gravel road.
- Dual color available!

Mini Shark

CY No.	PART No.	SIZE	ETRTO	TECHNOLOGY	COMPOUND	TPI	COLOR	BEAD	WEIGHT(g)
H-457		700×25C	25-622	Shark Skin	Single	60	Black	Wire	351
H-457		700×28C	28-622	Shark Skin	Single	60	Black	Wire	374
H-457		700×28C	28-622	Shark Skin	Single	60	Tanwall	Wire	
H-457		700×28C	28-622		Single	30	Tanwall	Wire	
H-457		700×23C	23-622		Single	30	Black	Wire	340
H-457		700×25C	25-622		Single	30	Black	Wire	368
H-457		700×28C	28-622		Single	30	Black	Wire	396



■ The dense arranged knobs in the centre of Gravel GP are designed for a low rolling resistance. The diamond shaped knobs open up direction shoulder to provide cornering grip and help evacuation in rainy conditions. These qualities make the Gravel GP the fastest tire of our Gravel family for on road and dry off road conditions or a perfect rear in combination with Gravel AT or MT.

GRAVEL GP

NEW
NEW
NEW
NEW

CY No.	PART No.	SIZE	ETRTO	TECHNOLOGY	COMPOUND	TPI	COLOR	BEAD	WEIGHT(g)
H-5224TR		700×50C	50-622	TLR/ SAR	Silica-Control	120	Black	Foldable	
H-5224TR		700×45C	47-622	TLR/ SAR	Silica-Control	120	Black	Foldable	
H-5224TR		700×40C	42-622	TLR/ SAR	Silica-Control	120	Black	Foldable	
H-5224TR		700×38C	40-622	TLR/ SAR	Silica-Control	120	Black	Foldable	
H-5224TR		700×35C	37-622	TLR/ SAR	Silica-Control	120	Black	Foldable	
H-5224		700×50C	50-622	Shark Skin	2C-MTB	60	Black	Wire	
H-5224		700×45C	47-622	Shark Skin	2C-MTB	60	Black	Wire	
H-5224		700×40C	42-622	Shark Skin	2C-MTB	60	Black	Wire	
H-5224		700×38C	40-622	Shark Skin	2C-MTB	60	Black	Wire	
H-5224		700×35C	37-622	Shark Skin	2C-MTB	60	Black	Wire	
H-5224		700×35C	37-622	Shark Skin	2C-MTB	60	Black	Wire	
H-5224		700×40C	42-622		Single	30	Tanwall	Wire	
H-5224		700×38C	40-622		Single	30	Tanwall	Wire	
H-5224		700×35C	37-622		Single	30	Tanwall	Wire	
H-5224		700×32C	32-622		Single	30	Tanwall	Wire	
H-5224		700×30C	30-622		Single	30	Tanwall	Wire	



■ Gravel AT the allrounder in the Gravel category brings together all the positive attributes to guarantee a worry-free riding on and off road. The directional arrow treads balance rolling resistance and traction and help to vent water and debris. The additional lug on the open designed shoulder strengthens the knobs while cornering. On road or off road this tire can do it all.

GRAVEL AT

CY No.	PART No.	SIZE	ETRTO	TECHNOLOGY	COMPOUND	TPI	COLOR	BEAD	WEIGHT(g)
H-5243TR	EB80405001F	700×38C	40-622	TLR/SAR	2C-MTB	120	Black	Foldable	
H-5243	EB80405001W	700×38C	40-622	Shark Skin	Single	60	Black	Wire	



■ The Gravel MT is the roughest pattern of the Gravel family and designed for off road use. Numerous solid small blocks provide a stable performance on the brakes and while cornering on gravel roads and trails even in harsh conditions. If you want to explore Mountain Bike terrain with your Gravel Bike the Gravel MT is your choice.

GRAVEL MT

CY No.	PART No.	SIZE	ETRTO	TECHNOLOGY	COMPOUND	TPI	COLOR	BEAD	WEIGHT(g)
H-5244TR	*	700×45C	47-622	TLR/ SAR	2C-MTB	120	Black	Foldable	
H-5244TR	*	700×40C	42-622	TLR/ SAR	2C-MTB	120	Black	Foldable	
H-5244TR	EB80505001F	700×38C	40-622	TLR/ SAR	2C-MTB	120	Black	Foldable	
H-5244	*	700×45C	47-622	Shark Skin	Single	60	Black	Wire	
H-5244	*	700×40C	42-622	Shark Skin	Single	60	Black	Wire	
H-5244	EB80505001W	700×38C	40-622	Shark Skin	Single	60	Black	Wire	



■ If you are looking for the fastest option than take Phantom Speed. It's small low center knobs have an excellent rolling resistance combined with aggressive shoulder knobs, you don't have to be afraid of the next corner.

PHANTOM SPEED

CY No.	PART No.	SIZE	ETRTO	TECHNOLOGY	COMPOUND	TPI	COLOR	BEAD WEIGHT(g)
H-5233TR	EB10801009F	29x2.3	58-622	TLR/ SPS/ WRE	Silica Control	120	Black	Foldable 708
H-5233TR	EB10801008F	29x2.3	58-622	TLR/ WRE	Silica Control	120	Black	Foldable 642
H-5233TR	EB10801001F	29x2.2	56-622	TLR	Silica Control	120	Black	Foldable
H-5233TR	EB10801002F	29x2.2	56-622	TLR/ SPS	Silica Control	120	Black	Foldable
H-5233TR		29x2.2	56-622	SPS	2C-MTB	60	Black	Foldable
H-5233		29x2.2	56-622	/	2C-MTB	60	Black	Wire



■ For your all-round dry conditions choose Phantom Dry. Its medium height tread provides great traction and control under braking. Tight knobs at the center to minimize rolling resistance, open space on the shoulder gives you safety and stability through the corner.

PHANTOM DRY

CY No.	PART No.	SIZE	ETRTO	TECHNOLOGY	COMPOUND	TPI	COLOR	BEAD WEIGHT(g)
H-5234TR	EB10802011F	29x2.3	58-622	TLR/ WRE	Silica Control	120	Black	Foldable
H-5234TR	EB10802012F	29x2.3	58-622	TLR/ SPS/ WRE	Silica Control	120	Black	Foldable
H-5234TR	EB10802001F	29x2.2	56-622	TLR	Silica Control	120	Black	Foldable
H-5234TR	EB10802002F	29x2.2	56-622	TLR/ SPS	Silica Control	120	Black	Foldable
H-5234TR		29x2.2	56-622	TR Pro	2C-MTB	66	Black	Foldable
H-5234		29x2.3	58-622	SPS	2C-MTB	60	Black	Wire
H-5234		29x2.2	56-622	SPS	2C-MTB	60	Black	Wire
H-5234		29x2.2	56-622	/	Single	60	Tanwall	Wire
H-5234TR	EB10802005F	27.5x2.2	56-584	TLR/ SPS	Silica Control	120	Black	Foldable
H-5234		27.5x2.2	56-584	SPS	2C-MTB	60	Black	Wire
H-5234	EB10802006W	27.5x2.2	56-584	/	Single	60	Tanwall	Wire
H-5235TR	EB10802011F	29x2.3	58-622	TLR/ WRE	Silica Control	120	Black	Foldable
H-5235TR	EB10802012F	29x2.3	58-622	TLR/ SPS/ WRE	Silica Control	120	Black	Foldable



■ When the weather becomes more unpredictable the Phantom wet is the tire of choice. Higher knobs with more space in between allow for confident cornering in wet and loose conditions. For your all-round the year careless combination put the Phantom wet on the front combined with the Phantom dry on the rear.

PHANTOM WET

CY No.	PART No.	SIZE	ETRTO	TECHNOLOGY	COMPOUND	TPI	COLOR	BEAD WEIGHT(g)
H-5235TR	EB10803001F	29x2.2	55-622	TLR	Silica Control	120	Black	Foldable
H-5235TR	EB10803002F	29x2.2	55-622	TLR/ SPS	Silica Control	120	Black	Foldable
H-5235TR		29x2.2	55-622	TR Pro	2C-MTB	66	Black	Foldable
H-5235		29x2.2	55-622	SPS	2C-MTB	60	Black	Wire
H-5235		29x2.2	56-622	/	Single	60	Tanwall	Wire
H-5235TR	EB10803005F	27.5x2.2	56-584	TLR/ SPS	Silica Control	120	Black	Foldable
H-5235		27.5x2.2	56-584	SPS	2C-MTB	60	Black	Wire
H-5235		27.5x2.2	56-584	/	Single	60	Tanwall	Wire
H-5235		30.5x2.25	57-642	/	2C-MTB	60	Tanwall	Wire



■ Designed for muddy conditions without loosing the focus on being rideable when you reach some hardpacked surface. When the conditions turn ugly choose the Phantom mud.

PHANTOM MUD

CY No.	PART No.	SIZE	ETRTO	TECHNOLOGY	COMPOUND	TPI	COLOR	BEAD WEIGHT(g)
H-5236TR	EB10804002F	29x2.0	50-622	TLR/ SPS	Silica Control	120	Black	Foldable
H-5236		29x2.0	50-622	SPS	2C-MTB	60	Black	Wire



PREDATOR AMF

CY No.	PART No.	SIZE	ETRTO	TECHNOLOGY	COMPOUND	TPI	COLOR	BEAD WEIGHT(g)
H-5249TR		29×2.50	64-622	TR PRO/SPS	2C-AM	66	Black	Foldable
H-5249TR		29×2.35	60-622	TR PRO/SPS	2C-AM	66	Black	Foldable



PREDATOR AMR

CY No.	PART No.	SIZE	ETRTO	TECHNOLOGY	COMPOUND	TPI	COLOR	BEAD WEIGHT(g)
H-5248TR		29×2.50	64-622	TR PRO/SPS	2C-AM	66	Black	Foldable
H-5248TR		29×2.35	60-622	TR PRO/SPS	2C-AM	66	Black	Foldable



PERSUADER WET

CY No.	PART No.	SIZE	ETRTO	TECHNOLOGY	COMPOUND	TPI	COLOR	BEAD	WEIGHT(g)
H-5240TR	EB30103001F	29×2.6	66-622	TLR/ Dual Defense/ Pro Bead	3C-AM	120	Black	Foldable	1180
H-5240TR	EB30103003F	29×2.6	66-622	TR PRO/ B To B	3C-AM	66	Black	Foldable	
H-5240TR	EB30101001F	29×2.4	61-622	TLR/ Dual Defense/ Pro Bead	3C-AM	120	Black	Foldable	
H-5240TR	EB30101002F	29×2.4	61-622	TR PRO/ B To B	3C-AM	66	Black	Foldable	
H-5240TR	EB30104001F	27.5×2.6	66-584	TLR/ Dual Defense/ Pro Bead	3C-AM	120	Black	Foldable	
H-5240TR	EB30104002F	27.5×2.6	66-584	TR PRO/ B To B	3C-AM	66	Black	Foldable	
H-5240TR	EB30102001F	27.5×2.4	61-584	TLR/ Dual Defense/ Pro Bead	3C-AM	120	Black	Foldable	
H-5240TR	EB30102002F	27.5×2.4	61-584	TR PRO/ B To B	3C-AM	66	Black	Foldable	



PERSUADER DRY

CY No.	PART No.	SIZE	ETRTO	TECHNOLOGY	COMPOUND	TPI	COLOR	BEAD	WEIGHT(g)
H-5241TR	EB30203001F	29×2.6	66-622	TLR/ Dual Defense/ Pro Bead	3C-AM	120	Black	Foldable	1130
H-5241TR	EB30203003F	29×2.6	66-622	TR PRO/ B To B	3C-AM	66	Black	Foldable	1110
H-5241TR	EB30201001F	29×2.4	61-622	TLR/ Dual Defense/ Pro Bead	3C-AM	120	Black	Foldable	
H-5241TR	EB30201002F	29×2.4	61-622	TR PRO/ B To B	3C-AM	66	Black	Foldable	
H-5241TR	EB30204001F	27.5×2.6	66-584	TLR/ Dual Defense/ Pro Bead	3C-AM	120	Black	Foldable	
H-5241TR	EB30204002F	27.5×2.6	66-584	TR PRO/ B To B	3C-AM	66	Black	Foldable	
H-5241TR	EB30202001F	27.5×2.4	61-584	TLR/ Dual Defense/ Pro Bead	3C-AM	120	Black	Foldable	
H-5241TR	EB30202002F	27.5×2.4	61-584	TR PRO/ B To B	3C-AM	66	Black	Foldable	
H-5241		27.5×2.6	66-584	Dual Defense	2C-MTB	30	Black	Wire	



PERSUADER SPEED

CY No.	PART No.	SIZE	ETRTO	TECHNOLOGY	COMPOUND	TPI	COLOR	BEAD	WEIGHT(g)
H-5242TR		29×2.6	66-622	TLR/ Dual Defense	3C-AM	120	Black	Foldable	
H-5242TR	EB30303003F	29×2.6	66-622	TR PRO/ B To B	3C-AM	66	Black	Foldable	940
H-5242TR		29×2.4	61-622	TLR/ Dual Defense	3C-AM	120	Black	Foldable	
H-5242TR	EB30301002F	29×2.4	61-622	TR PRO/ B To B	3C-AM	66	Black	Foldable	
H-5242TR		27.5×2.6	66-584	TLR/ Dual Defense	3C-AM	120	Black	Foldable	
H-5242TR	EB30304002F	27.5×2.6	66-584	TR PRO/ B To B	3C-AM	66	Black	Foldable	
H-5242TR		27.5×2.4	61-584	TLR/ Dual Defense	3C-AM	120	Black	Foldable	
H-5242TR	EB30302002F	27.5×2.4	61-584	TR PRO/ B To B	3C-AM	66	Black	Foldable	
H-5242		29×2.4	61-622	Dual Defense	2C-MTB	30	Black	Wire	
H-5242	EB30302002W	27.5×2.4	61-584	Dual Defense	2C-MTB	30	Black	Wire	1309



PEGASOS F

CY No.	PART No.	SIZE	ETRTO	TECHNOLOGY	COMPOUND	TPI	COLOR	BEAD	WEIGHT(g)
H-5265TR		29×2.4	61-622	TLR/ Dual Defense/ Pro Bead	3C-DH	120	Black	Foldable	60
H-5265		29×2.4	61-622	S+PS/Pro Bead	3C-AM	60	Black	Foldable	



PEGASOS R

CY No.	PART No.	SIZE	ETRTO	TECHNOLOGY	COMPOUND	TPI	COLOR	BEAD	WEIGHT(g)
H-5266TR		29×2.4	61-622	TLR/ Dual Defense/ Pro Bead	3C-DH	120	Black	Foldable	
H-5266		29×2.4	61-622	S+PS/Pro Bead	3C-AM	60	Black	Foldable	





- Smooth tread center for low rolling resistance coordinated with variety size of grooves is good for wet traction also
- Lateral shoulder ramp knob provides effective reinforce traction on both wet and debris surface also excellent cornering stability

KESTREL

CY No.	PART No.	SIZE	ETRTO	TECHNOLOGY	COMPOUND	TPI	COLOR	BEAD
H-481		700×60(28×2.0)	50-622	Rhino Skin/Gumwall	Single	60	Black/Reflex	Wire
H-481		700×45C	47-622	Rhino Skin/Gumwall	Single	60	Black/Reflex	Wire
H-481		700×40C	42-622	Rhino Skin/Gumwall	Single	60	Black/Reflex	Wire
H-481		700×38C	40-622	Rhino Skin/Gumwall	Single	60	Black/Reflex	Wire
H-481		700×35C	37-622	Rhino Skin/Gumwall	Single	60	Black/Reflex	Wire
H-481		700×32C	32-622	Rhino Skin/Gumwall	Single	60	Black/Reflex	Wire
H-481		700×30C	30-622	Rhino Skin/Gumwall	Single	60	Black/Reflex	Wire
H-481		700×28C	28-622	Rhino Skin/Gumwall	Single	60	Black/Reflex	Wire
H-481		700×40C	42-622	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire
H-481		700×38C	40-622	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire
H-481		700×35C	37-622	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire
H-481		27.5×2.0	50-584	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire
H-481		650×38B	40-584	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire
H-481		650×35B	37-584	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire
H-481		26×2.0	50-559	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire
H-481		26×1.75	44-559	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire
H-481		26×1.50	40-559	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire
H-481		24×1.75	44-507	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire
H-481		24×1.25	32-507	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire
H-481		24×1 3/8	37-540	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire



- Contiguous center knobs make this tire ideal for breezily riding due to the effectively minimizing of rolling resistance
- Shallow groove base is capable to prevent the knobs from immature cracking
- Multivariate side knobs offer excellent grip and perfect drainage

SPRINT SHARK

CY No.	PART No.	SIZE	ETRTO	TECHNOLOGY	COMPOUND	TPI	COLOR	BEAD
H-5126		700×40C	42-622	Rhino Skin/Gumwall	Single	60	Black/Reflex	Wire
H-5126		700×38C	40-622	Rhino Skin/Gumwall	Single	60	Black/Reflex	Wire
H-5126		700×35C	37-622	Rhino Skin/Gumwall	Single	60	Black/Reflex	Wire
H-5126		700×40C	42-622	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire
H-5126		700×38C	40-622	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire
H-5126		700×35C	37-622	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire
H-5126		26×1.50	40-559	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire



- Unique crown radian design cooperated with enhanced tread base provides unsurpassed wear-resistance and puncture resistance performance
- Central directional and slick groove design ensure low rolling resistance which is helpful to provide you with more speed and relaxing ride
- Excellent cornering traction and precise response can be ensured by enlarged shoulder blocks

MAKO SHARK

CY No.	PART No.	SIZE	ETRTO	TECHNOLOGY	COMPOUND	TPI	COLOR	BEAD
H-5113		28×1.75	47-622	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire
H-5113		700×40C	42-622	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire
H-5113		700×38C	40-622	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire
H-5113		700×35C	35-622	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire
H-5113		27.5×1.50	40-584	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire
H-5113		26×2.35	60-559	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire
H-5113		26×2.0	50-559	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire
H-5113		26×1.75	47-559	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire
H-5113		24×1.75	47-507	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire
H-5113		26×1 3/8	37-590	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire
H-5113		24×1 3/8	37-540	Hippo Skin/Gumwall	Single	30	Black/Reflex	Wire



E-CARGO

CY No.	PART No.	SIZE	ETRTO	TECHNOLOGY	COMPOUND	TPI	COLOR	BEAD
H-5257E	EB90903005W	26×2.35	60-559	DT-Defence/Hippo Skin Pro /Gumwall	E-Moto	60	Black/ Reflex	Wire
H-5257E	EB90903004W	26×2.15	55-559	DT-Defence/Hippo Skin Pro /Gumwall	E-Moto	60	Black/ Reflex	Wire
H-5257E	EB90904001W	24×2.35	60-507	DT-Defence/Hippo Skin Pro /Gumwall	E-Moto	60	Black/ Reflex	Wire
H-5257E	EB90904002W	24×2.15	55-507	DT-Defence/Hippo Skin Pro /Gumwall	E-Moto	60	Black/ Reflex	Wire
H-5257E	EB90908003W	20×2.35	60-406	DT-Defence/Hippo Skin Pro /Gumwall	E-Moto	60	Black/ Reflex	Wire
H-5257E	EB90908004W	20×2.15	55-406	DT-Defence/Hippo Skin Pro /Gumwall	E-Moto	60	Black/ Reflex	Wire

FOLDING BIKE / BMX



MERLIN

CY No.	PART No.	SIZE	ETRTO	TECHNOLOGY	COMPOUND	TPI	COLOR	BEAD	WEIGHT(g)
H-496		20x1.8	28-451	Dino Skin	Silica-Maxx	120	Black	Foldable	171
H-496		20x1.8	28-451	Dino Skin	Silica-Maxx	120	Pink	Foldable	



- Central big arrow shape knobs offers stable traction and low rolling resistance;
- Tiny knobs covering rest of the tire tread offers perfect grip on hard pack, wood and cement track;
- Speed Devil is all about speed!
- Continuous rib in the center offers clear riding direction;
- Central rib and knobs impact contact area with track and improve grip.

SPEED DEVIL

CY No.	PART No.	SIZE	ETRTO	TECHNOLOGY	COMPOUND	TPI	COLOR	BEAD	WEIGHT(g)
H-5218	W405010	20x1.85	46-406	/	Single	120	Black	Foldable	275
H-5218	W405009	20x1.85	46-406	/	Single	60	Black	Foldable	380
H-5218	W405008	20x1.85	46-406	/	Single	60	Black	Wire	415
H-5212	W405013	20x1.60	41-406	/	Single	120	Black	Foldable	235
H-5212	W405012	20x1.60	41-406	/	Single	60	Black	Foldable	265
H-5212	W405011	20x1.60	41-406	/	Single	60	Black	Wire	300

TUBE (TPU)



TPU

PART No.	SIZE	ETRTO	VALVE	WEIGHT(g)
UC7C25322	700x25/32C	25/32-622	FV65	38
UC7C25321	700x25/32C	25/32-622	FV80	39
UC7C32452	700x32/45C	32/45-622	FV65	52
UC2619253	26x1.90/2.50	47/60-559	FV48	78
UC2719253	27.5x1.90/2.50	47/60-584	FV48	79
UC2919253	29x1.90/2.50	47/60-622	FV48	83

CHAORYANG



ZHONGCE RUBBER GROUP COMPANY LIMITED

#1, No. 1 Street, Qiantang District 310018
Hangzhou, China
TEL: +86-571-86755960
E-mail: sales2wheels@zc-rubber.com
CHINA

ZHONGCE EUROPE GMBH

Holleritallee 17 30419 Hannover Germany
GERMANY

ZC RUBBER BRAZIL PARTICIPACOES LTDA

MAESTRO GABRIEL MIGLIORI,577 SL 53/54
BAIRRO LIMAO SAO PAULO,02712-140
BRAZIL

ZHONGCE RUBBER AMERICA INC.

663 BREA CANYON RD
SUITE 4,WALNUT,91789 CA
USA



ChaoYang Europe



ChaoYang Brasil